



Existence of financial equilibria with restricted participation

Zaier Aouani^{a,*}, Bernard Cornet^{b,c}

^a International School of Economics at TSU, Tbilisi, Republic of Georgia

^b University of Kansas, Lawrence, KS, United States

^c Université Paris 1 Panthéon-Sorbonne, Paris, France

ARTICLE INFO

Article history:

Received 30 June 2009

Received in revised form 2 October 2009

Accepted 5 October 2009

Available online 12 October 2009

Keywords:

Restricted participation

Portfolio constraints

Financial exchange economy

Equilibrium

Existence

Arbitrage-free asset prices

JEL classification:

C62

D52

D53

ABSTRACT

We consider a two-date model of a financial exchange economy with finitely many agents having nonordered preferences and portfolio constraints. There is a market for physical commodities at any state today or tomorrow and financial transfers across time and across states are allowed by means of finitely many nominal assets or numéraire assets. We prove a general existence result of equilibria for such a financial exchange economy in which portfolios are defined by linear constraints, extending the framework of linear equality constraints by Balasko et al. (1990), and the existence results in the unconstrained case by Cass (1984, 2006), Werner (1985), Duffie (1987), and Geanakoplos and Polemarchakis (1986). Our main result is a consequence of an auxiliary result, also of interest for itself, in which agents' portfolio constraints are defined by general closed convex sets and the financial structure is assumed to satisfy a "nonredundancy-type" assumption, weaker than the ones in Radner (1972) and Siconolfi (1989).

© 2009 Elsevier B.V. All rights reserved.

1. Introduction

Since the seminal paper by Radner (1972) proving the existence of equilibria in a financial exchange economy with bounded portfolio sets, and the non-existence issue raised by Hart (1975), Duffie and Shafer (1985, 1986) showed a generic existence result with real assets. An extensive body of literature built upon their argument, see e.g. Geanakoplos and Shafer (1990), Hirsch et al. (1990), Husseini et al. (1990) and Bich and Cornet (2004, forthcoming). Subsequently, the literature on the existence problem paid particular attention to incomplete asset markets with only nominal assets or only numéraire assets; this was considered either in the case of unconstrained agents' portfolio holdings, e.g. Cass (1984, 2006), Werner (1985), or Duffie (1987) for nominal assets and Geanakoplos and Polemarchakis (1986) for numéraire assets, as well as when agents' participation to financial markets might be restricted.

With restricted participation, in addition to the budget constraint, each agent i faces exogenous portfolio constraints $z_i \in Z_i \subset \mathbb{R}^J$, where J denotes the (finite) number of assets in the economy. The presence of such portfolio constraints is a natural cause of market incompleteness and allows to capture a wide range of imperfections in the financial markets, such as short selling constraints, collateral requirements, and more generally institutional constraints. Elsingher and Summer (2001) give an extensive discussion of these institutional constraints and how to model them in a general financial framework. The

* Corresponding author.

E-mail addresses: aouani@gmail.com, aouani@iset.ge (Z. Aouani), cornet@ku.edu, cornet@univ-paris1.fr (B. Cornet).

existence problem had recently a growing interest since the first work by Siconolfi (1989), and Cass (1984, 2006). Linear equality constraints are considered by Balasko et al. (1990) with nominal assets, and by Polemarchakis and Siconolfi (1997) with real assets. More recently, the case of portfolio sets Z_i which are closed, convex subsets containing zero as in Siconolfi (1989) is considered by Angeloni and Cornet (2006) for real assets and by Martins-da-Rocha and Triki (2005); Hahn and Won (2007), and Cornet and Gopalan (forthcoming) in the nominal case.

This paper considers a two-date stochastic model ($t = 0$ and $t = 1$) of a financial exchange economy with finitely many states of nature, one of which is revealed at $t = 1$. There is a market for finitely many physical goods at every state today or tomorrow and financial transfers across time and across states are allowed by means of finitely many assets. There are finitely many agents with nonordered preferences and portfolio constraints described by closed, convex subsets containing zero. Our contribution is twofold. First, when financial assets are nominal or numéraire, we provide a general existence result of equilibria (Theorem 1). Apart from standard assumptions on the consumption side (preferences and endowments), we assume that portfolio restrictions are defined by linear inequality constraints. This extends the framework of linear equality constraints considered by Balasko et al. (1990), and the standard model of unconstrained portfolios. Our existence result generalizes previous work by Cass (1984); Werner (1985); Duffie (1987), and Geanakoplos and Polemarchakis (1986).

Our second contribution provides an auxiliary result (Theorem 2) which is the key tool in the proof of Theorem 1. In this auxiliary result, we make an additional “nonredundancy-type” (or “reduced form”) assumption (F3 in the text) on the financial side. In the case of nominal assets and no restrictions on portfolio trades ($Z_i = \mathbb{R}^J$ for all i), Assumption F3 is equivalent to the fact that the payoff matrix V has no redundant assets, that is, $\text{rank } V = J$ or equivalently $\ker V = \{0\}$. In this case there is a priori no loss of generality in assuming that there are no redundant assets, otherwise, by deleting the redundant columns we obtain a “reduced” financial economy, whose equilibria yield equilibria in the original one. However, as mentioned in Balasko et al. (1990), one significant source of restricted participation is financial intermediation which typically involves redundancy. So there is no a priori grounds for the standard Full Rank Assumption in the presence of restricted participation, which therefore will be superseded by Assumption F3.

In the case of linear equality portfolio constraints (i.e., the Z_i 's are vector spaces), Balasko et al. (1990) show how to transform the agents' financial opportunities to obtain a “reduced” financial economy in which each agent's portfolio choice is a subspace having the same dimension as the wealth space it generates, that is, $Z_i \cap \ker V = 0$ for all i (Siconolfi, 1989); moreover, every equilibrium in the “reduced” economy leads to an equilibrium in the original economy. In this paper, we extend the analysis to the case of linear inequality constraints with nominal or numéraire assets. We show how to “reduce” the financial structure to obtain a new financial structure satisfying Assumption F3, a weaker condition than Siconolfi (1989)'s, keeping the correspondence between the equilibria; moreover, Assumption F3 coincides with Siconolfi's when the Z_i 's are linear subspaces. Finally, we mention the companion papers Aouani and Cornet (2008a,b) and the paper by Hahn and Won (2007), which study the more general case of closed convex portfolio sets.

The paper is organized as follows. In Section 2, we describe the financial exchange economy, we state our main existence result (Theorem 1) in the case of nominal or numéraire assets, and we state the auxiliary result (Theorem 2) under the additional Assumption F3. This section also provides examples under which Assumption F3 and the Financial Survival Assumption are satisfied. In Section 2.6, the proof of our main result (Theorem 1) is given as a consequence of Theorem 2 by “reducing” the initial economy into a new economy satisfying Assumption F3 whose equilibria yield equilibria in the original one. Finally, we also discuss the relationship with the existence results in the literature by Radner (1972); Siconolfi (1989); Cass (1984, 2006); Werner (1985); Duffie (1987) and Geanakoplos and Polemarchakis (1986). Section 3 is devoted to the proof of the auxiliary result (Theorem 2). The Appendix gathers the proofs of some lemmata used in the proofs of Theorems 1 and 2.

2. The model and the main result

2.1. The stochastic financial exchange economy

The¹ stochastic model considers two dates: $t = 0$ (today) and $t = 1$ (tomorrow). At the second date, there is a nonempty finite set $S := \{1, \dots, S\}$ of states of nature, one of which prevails at time $t = 1$ and is only known at time $t = 1$. For convenience, $s = 0$ denotes the state of the world (known with certainty) at period 0 and we let $\bar{S} = \{0\} \cup S = \{0, 1, \dots, S\}$. At

¹ We shall use hereafter the following notations. If \mathcal{I} is a finite set, whose number of elements is I , the space $\mathbb{R}^{\mathcal{I}}$ (identified to the space \mathbb{R}^I of functions $x : \mathcal{I} \rightarrow \mathbb{R}$ whenever necessary) is endowed with the scalar product $x \cdot y := \sum_{i=1}^I x_i y_i$, and we denote by $\|x\| := \sqrt{x \cdot x}$ the Euclidean norm, $B_i(x, r) := \{y \in \mathbb{R}^I : \|y - x\| \leq r\}$, the closed ball centered at $x \in \mathbb{R}^I$ of radius $r > 0$. For $x = (x_i)$ and $y = (y_i)$ in \mathbb{R}^I , the notation $x \geq y$ (resp. $x > y$, $x \gg y$) means that, for every i , $x_i \geq y_i$ (resp. $x_i > y_i$ and $x \neq y$, resp. $x_i > y_i$) and we let $\mathbb{R}_+^I = \{x \in \mathbb{R}^I : x \geq 0\}$, $\mathbb{R}_{++}^I = \{x \in \mathbb{R}^I : x \gg 0\}$. Let $X \subset \mathbb{R}^I$, the span of X is the linear subspace of \mathbb{R}^I , denoted $\langle X \rangle$, which is the set of all the K -linear combinations $\sum_{k=1}^K \alpha_k x_k$ of vectors $x_k \in X$ for every integer K , and we denote by $\text{int } X$, $\text{cl } X$, respectively, the interior and the closure of X . Consider a $I \times J$ -matrix A with I rows and J columns, with entries $A_{ij}^i (i \in I, j \in J)$, we denote by A_i the i -th row of A (hence a row vector, i.e., a $(1 \times J)$ -matrix, often identified to a vector in \mathbb{R}^J when there is no risk of confusion) and A^j denotes the j -th column of A (hence a column vector, i.e., a $I \times 1$ -matrix, which may similarly be identified to a vector in \mathbb{R}^I). If there is no risk of confusion, we will use the same notation for the $I \times J$ -matrix A and the associated linear mapping $A : \mathbb{R}^J \rightarrow \mathbb{R}^I$. We shall denote by $\ker A := \{x \in \mathbb{R}^J : Ax = 0\}$ the kernel of A , by $\text{Im } A := \{Ax : x \in \mathbb{R}^J\}$ the image of A , and by $\text{rank } A$ the rank of the matrix A , that is, the dimension of $\text{Im } A$. We also denote $\ker A$ by $\{A = 0\}$ and we let $\{A \geq 0\} := \{x \in \mathbb{R}^J : Ax \geq 0\}$.

each state, today and tomorrow, there is a spot market for a positive number ℓ of divisible physical goods and we assume that the goods are perishable, i.e., each good does not last more than one period. In this model a commodity is a couple (h, s) , specifying the physical good $h = 1, \dots, \ell$ and the state $0, 1, \dots, S$ at which it is available. Thus the commodity space is \mathbb{R}^L , where $L = \ell(1 + S)$. An element x (resp. p) in \mathbb{R}^L is called a consumption (resp. a price) and we will use the notation $x = (x(s))_{s \in \bar{S}} \in \mathbb{R}^L$, where $x(s) = (x_1(s), \dots, x_\ell(s)) \in \mathbb{R}^\ell$, denotes the spot consumption at node $s \in \bar{S}$.

In the exchange economy, there is nonempty finite set $\mathcal{I} := \{1, \dots, I\}$ of consumers. Each consumer $i \in \mathcal{I}$ is endowed with a consumption set $X_i \subset \mathbb{R}^L$, a preference correspondence P_i , from $\prod_{k \in \mathcal{I}} X_k$ to X_i , and an endowment vector $e_i \in \mathbb{R}^L$. The set X_i is the set of her possible consumptions, and for $x \in \prod_{i \in \mathcal{I}} X_i$, $P_i(x)$ is the set of consumption plans in X_i which are strictly preferred to x_i by consumer i , given the consumption plans $(x_i)_{i' \neq i}$ of the other agents. Finally $e_i = (e_i(s))_{s \in \bar{S}}$ lists the state endowment $e_i(s)$ across states, with $e_i(0)$ being known with certainty and $e_i(s)$ ($s \neq 0$) being available only if state s prevails at $t = 1$. The exchange economy can thus be summarized by $\mathcal{E} = (X_i, P_i, e_i)_{i \in \mathcal{I}}$.

The financial structure consists of a finite set $\mathcal{J} := \{1, \dots, J\}$ of assets. An asset j is a contract which is issued at $t = 0$ and promises to deliver the financial payoff $V_s^j(p)$ at state $s \in S$ of period $t = 1$ if state s prevails (for a given commodity price $p \in \mathbb{R}^L$). So, the payoff of asset j across tomorrow states is described by the mapping $p \mapsto V^j(p) := (V_s^j(p))_{s \in S} \in \mathbb{R}^S$. The financial structure is described by the payoff matrix mapping $V : p \mapsto V(p)$, where $V(p)$ is the $S \times J$ -matrix, whose columns are the payoffs $V^j(p)$ ($j = 1, \dots, J$) of the J assets. We denote by $z = (z_j) \in \mathbb{R}^J$, the portfolio of some consumer and we will use the standard convention: if $z_j > 0$ (resp. $z_j < 0$), then z_j (resp. $|z_j|$) represents the quantity of asset j bought (resp. sold) at period 0. We assume that portfolios may be constrained, that is, each agent i is endowed with a portfolio set $Z_i \subset \mathbb{R}^J$ which describes the portfolios that are possible for her. If some agent $i \in \mathcal{I}$ has no constraints on her portfolio choices, then $Z_i = \mathbb{R}^J$. Throughout this paper we consider portfolio sets that are closed, convex and contain zero for every agent, a framework general enough to cover most of the constraints considered in the literature (see [Elsinger and Summer, 2001](#)). The financial structure can be summarized by the list $\mathcal{F} := (V, (Z_i)_{i \in \mathcal{I}})$ and the stochastic financial exchange economy $(\mathcal{E}, \mathcal{F})$ can thus be described by the list

$$(\mathcal{E}, \mathcal{F}) := ((X_i, P_i, e_i)_{i \in \mathcal{I}}; (V, (Z_i)_{i \in \mathcal{I}})).$$

2.2. Equilibria and absence of arbitrage opportunities

Given commodity and asset prices $(p, q) \in \mathbb{R}^L \times \mathbb{R}^J$, the budget set of consumer i is²

$$B_{\mathcal{F}}^i(p, q) = \left\{ (x_i, z_i) \in X_i \times Z_i : \begin{array}{l} p(0) \cdot x_i(0) + q \cdot z_i \leq p(0) \cdot e_i(0) \\ p(s) \cdot x_i(s) \leq p(s) \cdot e_i(s) + V_s(p) \cdot z_i, \quad \forall s \in S \end{array} \right\} \\ = \{(x_i, z_i) \in X_i \times Z_i : p \square (x_i - e_i) \leq W(p, q)z_i\},$$

where $W(p, q)$ denotes the total payoff matrix, that is, the $(1 + S) \times J$ -matrix $\begin{pmatrix} -q \\ V(p) \end{pmatrix}$.

We now introduce the standard equilibrium notion in this model.

Definition 1. An equilibrium of the financial exchange economy $(\mathcal{E}, \mathcal{F})$ is a list $(\bar{p}, \bar{q}, \bar{x}, \bar{z}) \in \mathbb{R}^L \times \mathbb{R}^J \times (\mathbb{R}^L)^I \times (\mathbb{R}^J)^I$ such that

(i) for each i , (\bar{x}_i, \bar{z}_i) maximizes the preference P_i under the budget constraint, that is

$$(\bar{x}_i, \bar{z}_i) \in B_{\mathcal{F}}^i(\bar{p}, \bar{q}) \text{ and } B_{\mathcal{F}}^i(\bar{p}, \bar{q}) \cap (P_i(\bar{x}) \times Z_i) = \emptyset,$$

(ii) [Market Clearing] $\sum_{i \in \mathcal{I}} \bar{x}_i = \sum_{i \in \mathcal{I}} e_i$ and $\sum_{i \in \mathcal{I}} \bar{z}_i = 0$.

We make the following standard assumptions **C1–C6** on the consumption side. We denote by $\mathcal{A}(\mathcal{E})$ the set of attainable allocations of the economy, that is, $\mathcal{A}(\mathcal{E}) = \{(x_i)_{i \in \mathcal{I}} \in \prod_{i \in \mathcal{I}} X_i : \sum_{i \in \mathcal{I}} x_i = \sum_{i \in \mathcal{I}} e_i\}$.

Consumption Assumption C For every $i \in \mathcal{I}$ and for every $x = (x_i)_{i \in \mathcal{I}} \in \prod_{i \in \mathcal{I}} X_i$

C1 Consumption Sets: X_i is a closed, convex, bounded below subset of \mathbb{R}^L ;

C2 Continuity: The correspondence P_i , from $\prod_{k \in \mathcal{I}} X_k$ to X_i , is lower semicontinuous³ with open values in X_i (for the relative topology of X_i);

C3 Convexity: $P_i(x)$ is convex;

C4 Irreflexivity: $x_i \notin P_i(x)$;

² For every $p = (p(s))$, $x = (x(s))$ in \mathbb{R}^L , we denote by $p \square x$ the vector $(p(s) \cdot x(s))_{s \in \bar{S}}$.

³ Let Φ be a correspondence from X to Y , that is, Φ is a mapping from X to 2^Y . Then Φ is said to be lower semicontinuous (l.s.c.) at $x_0 \in X$, if for every open set $V \subset Y$ such that $\Phi(x_0) \cap V \neq \emptyset$, there exists an open neighborhood U of x_0 in X such that $\Phi(x) \cap V \neq \emptyset$ for every $x \in U$. The correspondence Φ is said to be l.s.c. if it is l.s.c. at every point of X . Finally, we denote by $G(\Phi) := \{(x, y) \in X \times Y : y \in \Phi(x)\}$ the graph of Φ .

C5 Local Non-Satiation LNS:

- (a) $\forall x \in \mathcal{A}(\mathcal{E}), \forall s \in S, \exists x'_i(s) \in \mathbb{R}^\ell, (x'_i(s), x_i(-s)) \in P_i(x),$ ⁴
- (b) $\forall y_i \in P_i(x), (x_i, y_i] \subset P_i(x);$

C6 Consumption Survival CS: $e_i \in \text{int}X_i.$

We note that these assumptions are standard in a model with nonordered preferences; the assumptions on P_i are satisfied in particular when agents' preferences are represented by utility functions that are continuous, strongly monotonic, and quasi-concave. We now recall that equilibrium asset prices preclude arbitrage opportunities under the above Non-Satiation Assumption. We denote by \mathbf{AZ} the asymptotic cone⁵ of a nonempty set $Z \subset \mathbb{R}^J.$

Proposition 1. Assume LNS and the convexity of the portfolio sets $Z_i(i \in \mathcal{I}).$ If $(\bar{p}, \bar{q}, \bar{x}, \bar{z})$ is an equilibrium of the economy $(\mathcal{E}, \mathcal{F}),$ then \bar{q} is arbitrage-free at $\bar{p},$ in the sense that

$$W(\bar{p}, \bar{q}) \left(\bigcup_i \mathbf{AZ}_i \right) \cap \mathbb{R}_+^{\bar{S}} = \{0\}.$$

We denote by $Q(\bar{p})$ the set of arbitrage-free asset prices \bar{q} at $\bar{p} \in \mathbb{R}^L.$

2.3. Nominal and numéraire assets

If the financial structure \mathcal{F} is nominal, the matrix $V(p)$ of financial payoffs does not depend on the commodities price vector p and is denoted $R.$

A numéraire asset is defined as follows. Let us choose a commodity bundle $v \in \mathbb{R}^\ell,$ a typical example being $v = (0, \dots, 0, 1),$ when the ℓ th good is chosen as numéraire. A numéraire asset j is a real asset which delivers the commodity bundle $A^j_s = R^j_s v \in \mathbb{R}^\ell$ at state s of date $t = 1$ if this state s prevails. Thus the payoff at state s is $(V_v)^j_s(p) = (p(s) \cdot v)R^j_s$ for the commodity price $p = (p(s)) \in \mathbb{R}^L.$ For a numéraire financial structure, i.e., all the assets are numéraire assets (for the same commodity bundle $v),$ we denote R the $S \times J$ -matrix with entries R^j_s and, for $p \in \mathbb{R}^L,$ we denote $V_v(p)$ the associated $S \times J$ -payoff-matrix, which has for entries $(V_v)^j_s(p) = (p(s) \cdot v)R^j_s,$ i.e.,

$$V_v(p) = \begin{pmatrix} p(1) \cdot v & 0 & \dots & 0 \\ 0 & \ddots & \ddots & \vdots \\ \vdots & \ddots & \ddots & 0 \\ 0 & \dots & 0 & p(S) \cdot v \end{pmatrix} R.$$

In the nominal case, the set $Q(p)$ of arbitrage-free prices, that is, the set of asset prices q satisfying

$$\begin{pmatrix} -q \\ R \end{pmatrix} \left(\bigcup_i \mathbf{AZ}_i \right) \cap \mathbb{R}_+^{\bar{S}} = \{0\} \tag{1}$$

does not depend on the price $p,$ hence is simply denoted $Q_R.$ In the numéraire case, under the Desirability Assumption (made in FNO) below, if $(\bar{p}, \bar{q}, \bar{x}, \bar{z})$ is an equilibrium, then $\bar{p}(s) \cdot v > 0$ for all $s \in S$ (see the proof of Lemma 3 in Appendix A.3) and we notice that, if $\bar{p}(s) \cdot v > 0$ for all $s \in S,$ then $Q(\bar{p}) = Q_R$ as defined above by (1). Thus, every equilibrium asset price \bar{q} belongs to Q_R (by Proposition 1) in the nominal case and in the numéraire case.

Given the financial structure $\mathcal{F} = (V, (Z_i)_{i \in \mathcal{I}}),$ we denote $Z_{\mathcal{F}} = \langle \cup_{i \in \mathcal{I}} Z_i \rangle$ the linear space where financial activity takes place. We say that $Z \subset \mathbb{R}^J$ is a convex polyhedral set if it can be defined by finitely many linear inequalities, i.e., $Z := \{z \in \mathbb{R}^J : Bz \geq b\}$ for some $K \times J$ -matrix B and some $b \in \mathbb{R}^K.$ Clearly this takes into account the case of a set defined by finitely many linear inequalities and/or equality constraints, since each equality constraint can be equivalently replaced by two inequality constraints. We can now present the general assumptions on the financial side.

FN Financial Assumption in the Nominal-Numéraire case:

FNO: The financial structure \mathcal{F} is either (i) nominal, i.e., $V(p) = R$ is independent of $p,$ or (ii) numéraire, i.e., $V(p) = V_v(p),$ for every agent $i,$ the correspondence P_i has an open graph and the commodity bundle $v \in \mathbb{R}^\ell$ is desirable at every state $s \in S,$ i.e., for all $x \in \mathcal{A}(\mathcal{E}),$ for all $t > 0, (x_i(s) + tv, x_i(-s)) \in P_i(x);$

FN1: For all $i \in \mathcal{I}, Z_i$ is a convex polyhedral set, $0 \in Z_i,$ and $V : \mathbb{R}^L \rightarrow \mathbb{R}^{S \times J}$ is continuous;

⁴ Given $x_i \in X_i$ and $s \in \bar{S},$ we denote $x_i(-s) := (x_i(s'))_{s' \neq s}.$
⁵ The asymptotic cone of a nonempty subset Z of \mathbb{R}^J is the set $\mathbf{AZ} := \{\lim_n \lambda^n z^n : (\lambda^n)_n \downarrow 0 \text{ and } z^n \in Z \text{ for all } n\}.$ As a consequence from the definition, one has $\mathbf{A}(\text{cl}Z) = \mathbf{AZ}$ and we refer to Debreu (1959) for a general reference. When Z is additionally assumed to be convex, then $\mathbf{AZ} = 0^+(\text{cl}Z),$ where $0^+(C) := \{\zeta \in \mathbb{R}^J : \zeta + C \subset C\}$ is the recession cone of the convex set $C \subset \mathbb{R}^J$ (see Rockafellar, 1970). When Z is convex, the inclusion $0^+(Z) \subset \mathbf{AZ}$ holds but may be strict when Z is not closed.

FN2: Financial Survival $\forall i \in \mathcal{I}, \forall q \in cIQ_R \cap Z_{\mathcal{F}}, q \neq 0, \exists \zeta_i \in Z_i, q \cdot \zeta_i < 0$.

Assumption **FN0** is standard; note, however, that the open graph assumption and the desirability assumption are slightly stronger than the corresponding ones in **C**, but these assumptions on P_i are still satisfied when $v \in \mathbb{R}_+^L - \{0\}$ and agents' preferences are represented by utility functions that are continuous, strongly monotonic, and quasi-concave. Assumption **FN1** considers the class of convex polyhedral portfolio sets of particular interest for economic applications; in particular it takes into account the case of linear equality constraints (portfolio sets which are linear spaces) as considered by Balasko et al. (1990). Sufficient conditions for Assumption **FN2** to hold are provided in Section 2.4.

2.4. Existence of equilibria in the nominal and numéraire case

We now state our main existence result.

Theorem 1. [Nominal or numéraire assets] Let the economy $(\mathcal{E}, \mathcal{F})$ satisfy assumptions **C** and **FN**, then it admits an equilibrium $(\bar{p}, \bar{q}, \bar{x}, \bar{z})$ such that $\|\bar{p}(0)\| + \|\bar{q}\| = 1$ and $\|\bar{p}(s)\| = 1$ for $s \in \mathcal{S}$.

The proof of **Theorem 1** is given in Section 2.6 as a consequence of an auxiliary result (**Theorem 2**) stated in the next section. We now give some consequences of **Theorem 1**. The following **Corollaries 2** and **3** allow to extend to the case of consumers with nonordered preferences the existence results of Cass (1984); Duffie (1987), and Werner (1985) in the nominal case and Geanakoplos and Polemarchakis (1986) in the numéraire case.

Corollary 1. The financial exchange economy $(\mathcal{E}, \mathcal{F})$ admits an equilibrium under Assumptions **C**, **FN0**, **FN1** if

- $0 \in \text{int}Z_i$ for all i .

Corollary 2. The financial exchange economy $(\mathcal{E}, \mathcal{F})$ admits an equilibrium under Assumption **C** if

- \mathcal{F} consists of nominal assets;
- $Z_i = \mathbb{R}^J$ for all i .

Corollary 3. The financial exchange economy $(\mathcal{E}, \mathcal{F})$ admits an equilibrium under Assumption **C** if

- \mathcal{F} consists of numéraire assets and satisfies **FN0 (ii)**;
- $Z_i = \mathbb{R}^J$ for all i .

The proof of the above corollaries is a consequence of **Theorem 1** and of the following proposition, which gives examples under which the Financial Survival Assumption **FN2** is satisfied.

Proposition 2. Let $\mathcal{F} = (V, (Z_i)_i)$ be a financial structure, then Assumption **FN2** (and also Assumption **F2** defined hereafter) is satisfied if, either (a) or (b) holds

(a) For every $i \in \mathcal{I}$, one of the following conditions holds:

- $Z_i = \mathbb{R}^J$ (unrestricted participation),
- $Z_i = -z_i + \mathbb{R}_+^J$, for some $z_i \in \mathbb{R}_{++}^J$ (bounds on short sales for every asset),
- $Z_i = [-z_i^1 + \mathbb{R}_+^J] \times \mathbb{R}^{J_2}$, for some $z_i^1 \in \mathbb{R}_{++}^{J_1}$, with $J = J_1 + J_2$ (bounds on short sales for some assets),
- Z_i is the closed ball $\{z \in \mathbb{R}^J : \|z\| \leq r\}$ for some $r > 0$ (bounded portfolios),⁶
- $0 \in \text{int}Z_i$;

(b) For every $i \in \mathcal{I}$, $Z_i = \{0\}$ (pure spot markets).

2.5. An auxiliary existence result

In this section, we state an auxiliary existence result that will be the key tool to prove **Theorem 1** in Section 2.6. This result, also of interest for itself, does not assume neither that the financial structure is nominal or numéraire, nor that the portfolio sets are convex polyhedra. It assumes, however, the additional Assumption **F3** that is presented below. We posit the following new set of assumptions on the financial structure.

Financial Assumption F:

F0: The set $\mathbf{A}_{\mathcal{F}}(p) := \sum_{i \in \mathcal{I}} (\mathbf{A}Z_i \cap \{V(p) \geq 0\})$ does not depend on p (hence is simply denoted $\mathbf{A}_{\mathcal{F}}$ hereafter);

F1: For every $i \in \mathcal{I}$, Z_i is closed, convex, $0 \in Z_i$, and $V : \mathbb{R}^L \rightarrow \mathbb{R}^{S \times J}$ is continuous;

F2: Financial Survival $\forall i \in \mathcal{I}, \forall p \in \mathbb{R}^L, p(0) = 0, \forall q \in cIQ(p) \cap Z_{\mathcal{F}}, q \neq 0, \exists \zeta_i \in Z_i, q \cdot \zeta_i < 0$;

F3: The set $\mathbf{A}_{\mathcal{F}}$ is pointed, i.e., $\mathbf{A}_{\mathcal{F}} \cap -\mathbf{A}_{\mathcal{F}} = \{0\}$.

⁶ The result is true for any norm $\|\cdot\|$ of \mathbb{R}^J and the set Z_i will be polyhedral if we take for example the norm $\|z\|_{\infty} := \max\{|z_j| : j = 1 \dots J\}$.

Assumptions **F0** and **F1** weaken the previous assumptions **FN0** and **FN1**, respectively, and **F2** adapts the previous Survival Assumption **FN2** to the more general case considered here. Sufficient conditions for Assumptions **F0** and **F3** to hold are given at the end of this section.

We now state our second existence result.

Theorem 2. *Let the economy $(\mathcal{E}, \mathcal{F})$ satisfy assumptions **C** and **F**, then it admits an equilibrium $(\bar{p}, \bar{q}, \bar{x}, \bar{z})$ such that $\|\bar{p}(0)\| + \|\bar{q}\| = 1$ and $\|\bar{p}(s)\| = 1$ for $s \in S$.*

The proof of **Theorem 2** is given in Section 3.

We can now give two consequences of **Theorem 2** which extend the results by **Radner (1972)** and the framework of **Siconolfi (1989)** to the case of agents with nonordered preferences. Note however that the Survival Assumption **F2** is not directly comparable to the one used by **Siconolfi (1989)** and it is the purpose of further work to show the relationship between his existence result and **Theorem 2**.

Corollary 4. *The economy $(\mathcal{E}, \mathcal{F})$ admits an equilibrium under assumptions **C**, **F1** in each of the following cases:*

- (i) (**Radner (1972)**) For every $i \in \mathcal{I}$, Z_i is the closed ball $B_j(0, r_i)$, for some $r_i > 0$.
- (ii) (**Siconolfi (1989)**) \mathcal{F} consists of nominal assets, **F2** holds and $\mathbf{AZ}_i \cap \ker R = \{0\}$ for every $i \in \mathcal{I}$.

The proof of the corollary is a consequence of **Theorem 2**, **Proposition 2**, and **Remarks 1**, and **2**, which give sufficient conditions for Assumptions **F2**, **F0**, and **F3** to hold.

Remark 1. Assumption **F0** is satisfied when

- the financial structure is nominal, i.e., $V(p)$ does not depend on p ;
- the set $\{V(p) \geq 0\}$ does not depend on p ;
- for every i , Z_i is bounded (**Radner (1972)**) since $\mathbf{AZ}_i = \{0\}$;
- the set $\text{cl}Q(p)$ does not depend on p (under Assumption **F3**, by **Lemma 4** below);
- the case of numéraire assets is treated in Section 2.6.

Remark 2. Assumption **F3** is satisfied when

- $\ker V = \{0\}$ (No redundant assets);
- for every i , Z_i is bounded (**Radner (1972)**);
- for every i , $\ker V \cap \mathbf{AZ}_i = \{0\}$ (**Siconolfi (1989)**).

Moreover, Assumption **F3** is equivalent to the assumption that V has no redundant assets when there are no restrictions on portfolio trades ($Z_i = \mathbb{R}^J$ for all i). In the case of nominal assets, it coincides with **Siconolfi (1989)**'s assumption when the Z_i 's are linear subspaces.

Assumption **F3** is crucial in the proof of **Theorem 2**. Together with **F0**, it enables us to look for equilibrium portfolios in an appropriate bounded set, creating thereby a suitable environment for the application of a fixed point theorem. In this regard, Assumption **F3** and **Siconolfi (1989)**'s assumption serve the same purpose, but the weaker Assumption **F3** is needed if we want to treat the case of linear inequalities instead of linear equalities. See Section 2.6 for more detail.

Remark 3. We can choose the equilibrium asset price \bar{q} to be in $Q(\bar{p}) \cap Z_{\mathcal{F}}$. Indeed, let $(\bar{p}, \bar{q}, \bar{x}, \bar{z})$ be an equilibrium of $(\mathcal{E}, \mathcal{F})$ and let $q^* = \text{proj}_{Z_{\mathcal{F}}}\bar{q}$ then $(\bar{p}, q^*, \bar{x}, \bar{z})$ is an equilibrium of $(\mathcal{E}, \mathcal{F})$ since for every $i \in \mathcal{I}$, and for every $z_i \in Z_i$, one has $q^* \cdot z_i = \bar{q} \cdot z_i$. Moreover, $q^* \in Q(\bar{p})$ (under **LNS** by **Proposition 1**).

2.6. Proof of Theorem 1

The proof of **Theorem 1** is given hereafter, first in the case of nominal assets and then in the case of numéraire assets. Consider an economy $(\mathcal{E}, \mathcal{F})$ satisfying Assumptions **C** and **FN**.

In the case of nominal assets with no restrictions on portfolio trades, there is a priori no loss of generality in assuming that the payoff matrix V has no redundant assets, that is, $\text{rank } V = J$ or equivalently $\ker V = \{0\}$. Indeed, otherwise by deleting the redundant columns we obtain a new financial economy whose equilibria yield equilibria in the original one. Hereafter, we show how to transform the financial structure to obtain a reduced financial structure, i.e., satisfying Assumption **F3**, which supersedes the standard assumption of no redundant assets, while keeping the correspondence between the equilibria. Existence of equilibrium then follows from **Theorem 2**. This analysis coincides with the one in **Balasko et al. (1990)** when portfolio sets are defined by linear equality constraints and assets are nominal (since the transformed financial structure they obtain satisfies **Siconolfi (1989)**'s assumption which is equivalent to **F3** in the framework of linear equality constraints), and extends it to the case of linear inequality constraints with nominal and numéraire assets.

We modify the financial structure \mathcal{F} by considering the *reduced financial structure* \mathcal{F}_π which has the same payoff matrix as \mathcal{F} and the portfolio sets πZ_i ($i \in \mathcal{I}$) where π is the orthogonal projection mapping⁷ on the orthogonal space to $\mathbf{L}_\mathcal{F} := \mathbf{A}_\mathcal{F} \cap -\mathbf{A}_\mathcal{F}$. We recall that $Z_\mathcal{F} := \langle \cup_i Z_i \rangle$, $Z_{\mathcal{F}_\pi} := \langle \cup_i \pi Z_i \rangle$ and the definition of \mathcal{F}_π can be summarized by

$$\mathcal{F}_\pi = (V(p), (\pi Z_i)_i), \quad \text{where } \pi = \text{proj}_{(\mathbf{L}_\mathcal{F})^\perp}, \mathbf{L}_\mathcal{F} := \mathbf{A}_\mathcal{F} \cap -\mathbf{A}_\mathcal{F}, \quad \text{and } \mathbf{A}_\mathcal{F} := \sum_{i \in \mathcal{I}} (\mathbf{A}Z_i \cap \{V(p) \geq 0\}) \subset Z_\mathcal{F}.$$

2.6.1. The nominal case

This section considers the case of a financial structure $\mathcal{F} = (V, (Z_i)_i)$ with nominal assets satisfying the Assumption **FN**, and in fact the more general case of a financial structure satisfying Assumptions **F0**, **FN1**, and **F2**. This more general framework will be needed in Section 2.6.2 to treat the case of numéraire assets.

Step 1. The first step is summarized by Lemma 1, the proof of which is given in Appendix A.1.

Lemma 1. *If $\mathcal{F} = (V, (Z_i)_i)$ satisfies Assumptions **F0**, **FN1**, and **F2**, then \mathcal{F}_π satisfies Assumptions **F0–F2**, together with Assumption **F3**, that is, $\mathbf{A}_{\mathcal{F}_\pi} \cap -\mathbf{A}_{\mathcal{F}_\pi} = \{0\}$.*

Step 2. From Theorem 2 and Step 1, the economy $(\mathcal{E}, \mathcal{F}_\pi)$ admits an equilibrium $(\bar{p}, \bar{q}, \bar{x}, \bar{z})$.

Step 3. There exists an equilibrium (p^*, q^*, x^*, z^*) of $(\mathcal{E}, \mathcal{F})$ as a consequence of the following lemma, the proof of which is given in the Appendix A.2.

Lemma 2. *Assume **LNS**, and let $(\bar{p}, \bar{q}, \bar{x}, \bar{z})$ be an equilibrium of $(\mathcal{E}, \mathcal{F}_\pi)$. Then there exists $z^* \in \prod_i Z_i$ such that $(\bar{p}, \pi \bar{q}, \bar{x}, z^*)$ is an equilibrium of $(\mathcal{E}, \mathcal{F})$.*

To end the proof of Theorem 1 we need to check that the equilibrium found in Lemma 2 can be chosen so that $\|\bar{p}(0)\| + \|\pi \bar{q}\| = 1$ and $\|\bar{p}(s)\| = 1$ for $s \in \mathcal{S}$. Recall that from Remark 3 we can choose the equilibrium asset price vector in $(\mathcal{E}, \mathcal{F}_\pi)$, that is \bar{q} , to be in $Q_{\mathcal{F}_\pi}(\bar{p}) \cap Z_{\mathcal{F}_\pi} \subset Z_{\mathcal{F}_\pi} \subset \text{Im} \pi$. Hence $\pi \bar{q} = \bar{q}$ and $\|\bar{p}(0)\| + \|\pi \bar{q}\| = \|\bar{p}(0)\| + \|\bar{q}\| = 1$. The fact $\|\bar{p}(s)\| = 1$ for $s \in \mathcal{S}$ is immediate since we are not changing the equilibrium commodity prices when we go from an equilibrium in $(\mathcal{E}, \mathcal{F}_\pi)$ to an equilibrium in $(\mathcal{E}, \mathcal{F})$.

2.6.2. The numéraire case

Consider a financial economy with numéraire assets $(\mathcal{E}, \mathcal{F})$ satisfying Assumptions **FN** (the part (ii) with numéraire assets). The proof of Theorem 1 consists in applying the Steps 1–3 of the previous section to a modified financial economy $(\mathcal{E}, \mathcal{F}^\varepsilon)$ (for $\varepsilon > 0$ small enough), chosen so that (i) it satisfies Assumptions **F0**, **FN1**, and **F2** and (ii) the equilibria of $(\mathcal{E}, \mathcal{F}^\varepsilon)$ are also equilibria of the original financial economy $(\mathcal{E}, \mathcal{F})$.

Step 0. We define the modified financial structure $\mathcal{F}^\varepsilon = (V^\varepsilon, (Z_i)_i)$ for $\varepsilon > 0$, by taking the same portfolio sets Z_i as for \mathcal{F} and defining the modified payoff matrix V^ε , by

$$V^\varepsilon(p) = \begin{pmatrix} \max\{\varepsilon, p(1) \cdot v\} & 0 & \dots & 0 \\ 0 & \ddots & \ddots & \vdots \\ \vdots & \ddots & \ddots & 0 \\ 0 & \dots & 0 & \max\{\varepsilon, p(S) \cdot v\} \end{pmatrix} R.$$

The financial exchange economy $(\mathcal{E}, \mathcal{F}^\varepsilon)$ satisfies Assumptions **F0**, **FN1**, and **F2** whenever the economy $(\mathcal{E}, \mathcal{F})$ satisfies Assumptions **FN0–FN2**. Indeed, $\{V^\varepsilon(p) \geq 0\} = \{R \geq 0\}$ for every $p \in \mathbb{R}^L$, hence V^ε satisfies Assumption **F0**. Assumptions **F1** and **FN1** are obviously satisfied, and assumption **F2** is a consequence of **FN2** and the fact that $Q_{\mathcal{F}^\varepsilon}(p) = Q_R$ for every p . The relationship between the equilibria of the economies $(\mathcal{E}, \mathcal{F}^\varepsilon)$ and $(\mathcal{E}, \mathcal{F})$ is then given by the following lemma, the proof of which is given in Appendix A.3.

Lemma 3. *For $\varepsilon > 0$ small enough, every equilibrium $(\bar{p}, \bar{q}, \bar{x}, \bar{z})$ of $(\mathcal{E}, \mathcal{F}^\varepsilon)$ such that $\|\bar{p}(s)\| = 1$ for $s \in \mathcal{S}$ is an equilibrium of the economy $(\mathcal{E}, \mathcal{F})$.*

3. Proof of Theorem 2

We first state a lemma summarizing several properties that will be used hereafter. We recall that

$$\mathbf{A}_\mathcal{F}(p) := \sum_{i \in \mathcal{I}} (\mathbf{A}Z_i \cap \{V(p) \geq 0\}) \subset Z_\mathcal{F}.$$

⁷ When L is a subset of \mathbb{R}^l , we define the polar set of L by $L^\circ := \{z \in \mathbb{R}^l : z \cdot \xi \leq 0 \text{ for all } \xi \in L\}$ and the orthogonal set to L by $L^\perp := \{z \in \mathbb{R}^l : z \cdot \xi = 0 \text{ for all } \xi \in L\}$. When L is a linear space and $\varphi \in \mathbb{R}^l$, we denote by $\text{proj}_L \varphi$ (resp. $\text{proj}_{L^\perp} \varphi$) the orthogonal projection of φ on L (resp. on L^\perp), that is, the unique $\alpha \in L$ (resp. $\beta \in L^\perp$) such that $\varphi - \alpha \in L^\perp$ (resp. $\varphi - \beta \in L$).

Lemma 4. Under Assumptions **F1** and **F3**, for every $p \in \mathbb{R}^L$:

- (a) The set $Q(p)$ is a convex cone with vertex 0.
- (b) $\text{cl}Q(p) \cap Z_{\mathcal{F}}^0 = -\mathbf{A}_{\mathcal{F}}(p) + (Z_{\mathcal{F}})^{\perp}$. Hence $\mathbf{A}_{\mathcal{F}}(p) \subset Z_{\mathcal{F}}$ is closed.
- (c) If we additionally assume **F0**, then for all $v = (v_i)_{i \in \mathcal{I}} \in (\mathbb{R}^S)^{\mathcal{I}}$ the set K_v is bounded, where

$$K_v := \left\{ (z_1, \dots, z_{\mathcal{I}}, p) \in \left(\prod_i Z_i \right) \times B_L(0, 1) : \forall i, V(p)z_i \geq v_i, -\sum_{i \in \mathcal{I}} z_i \in \mathbf{A}_{\mathcal{F}} \right\}.$$

The proof of Lemma 4 is given in Appendix A.4.

3.1. Truncating the economy

We denote by \widehat{X}_i the projection of the set of attainable allocations $\mathcal{A}(\mathcal{E})$ on X_i . Since $\mathcal{A}(\mathcal{E})$ is bounded (by Assumption **C1**), the sets \widehat{X}_i are also bounded for every $i \in \mathcal{I}$. Consequently, one can choose $r_1 > 0$ large enough such that

$$\widehat{X}_i \subset \text{int}B_L(0, r_1) \quad \text{for every } i \in \mathcal{I},$$

For $i \in \mathcal{I}$, let $v_i = (v_i(s))_{s \in \mathcal{S}} \in \mathbb{R}^S$, where

$$v_i(s) = -1 + \min\{p(s) \cdot (x_i(s) - e_i(s)) : p(s) \in B_{\ell}(0, 1), x_i \in B_L(0, r_1)\} \quad (s \in \mathcal{S}), \tag{2}$$

which is well defined from the compactness of the closed balls $B_{\ell}(0, 1)$ and $B_L(0, r_1)$. We denote by \widehat{Z}_i the projection of K_v on Z_i and the sets \widehat{Z}_i are bounded for every $i \in \mathcal{I}$, since K_v is bounded (by Lemma 4). Consequently, one can choose $r_2 > 0$ large enough such that

$$\widehat{Z}_i \subset \text{int}B_J(0, r_2) \quad \text{for every } i \in \mathcal{I}.$$

We let $r = (r_1, r_2)$ and for every $i \in \mathcal{I}$,

$$X_i^r = X_i \cap B_L(0, r_1), \quad P_i^r(x) = P_i(x) \cap \text{int}B_L(0, r_1), \quad Z_i^r = Z_i \cap B_J(0, r_2).$$

We define the truncated financial economy $(\mathcal{E}^r, \mathcal{F}^r)$, which has X_i^r for consumption sets, P_i^r for preference correspondences, Z_i^r for portfolio sets. The endowments of consumers and the payoff matrix are the same as for the economy $(\mathcal{E}, \mathcal{F})$. To summarize, we let

$$(\mathcal{E}^r, \mathcal{F}^r) := ((X_i^r, P_i^r, e_i)_{i \in \mathcal{I}}, (V, (Z_i^r)_{i \in \mathcal{I}})).$$

3.2. The reaction correspondences and the fixed-point argument

We define the set of admissible prices for commodities and assets

$$\Pi = \{(p, q) \in \mathbb{R}^L \times \mathbb{R}^J : \|p(0)\| + \|q\| \leq 1, \forall s \in \mathcal{S}, \|p(s)\| \leq 1, \text{ and } q \in \text{cl}Q(p) \cap Z_{\mathcal{F}}\},$$

and, following Bergstrom (1976), the “modified” budget sets of consumer i , for $(p, q) \in \Pi$:

$$\begin{aligned} B_i^{r\epsilon}(p, q) &= \{(x_i, z_i) \in X_i^r \times Z_i^r : p \square (x_i - e_i) \leq W(p, q)z_i + \epsilon(p, q)\}, \\ \check{B}_i^{r\epsilon}(p, q) &= \{(x_i, z_i) \in X_i^r \times Z_i^r : p \square (x_i - e_i) \ll W(p, q)z_i + \epsilon(p, q)\}, \end{aligned} \tag{3}$$

where $\epsilon(p, q) = (\epsilon_s(p, q))_{s \in \mathcal{S}} \in [0, 1]^{1+S}$ is defined, for $(p, q) \in \Pi$, by

$$\epsilon_s(p, q) = \begin{cases} 1 - \|p(0)\| - \|q\| & \text{for } s = 0 \\ 1 - \|p(s)\| & \text{for } s \in \mathcal{S}. \end{cases}$$

Claim 1. For all $(p, q) \in \Pi$, $\check{B}_i^{r\epsilon}(p, q) \neq \emptyset$ and $B_i^{r\epsilon}(p, q) = \text{cl}\check{B}_i^{r\epsilon}(p, q)$.

Proof. We first notice that $e_i \in \text{int}X_i^r$ for every $i \in \mathcal{I}$; indeed, this is a consequence of the facts that $e_i \in \widehat{X}_i \subset X_i \cap \text{int}B_L(0, r_1)$ and $e_i \in \text{int}X_i$ (Survival Assumption **C6**). Let $(p, q) \in \Pi$. Since $e_i \in \text{int}X_i^r$, for $t > 0$ small enough, $x_i^t := e_i - tp \in X_i^r$. Hence, $p \square (x_i^t - e_i) = -tp \square p \leq 0$, and

$$p(0) \cdot (x_i^r(0) - e_i(0)) - \epsilon_0(p, q) = -t\|p(0)\|^2 - 1 + \|p(0)\| + \|q\| < 0 \quad \text{if } [p(0) \neq 0 \text{ or } q = 0],$$

$$p(s) \cdot (x_i^r(s) - e_i(s)) - \epsilon_s(p, q) = -t\|p(s)\|^2 - 1 + \|p(s)\| < 0 \text{ for all } s = 1, \dots, S.$$

Consequently, if $p(0) \neq 0$ or $q = 0$, then $(x_i^r, 0) \in \widetilde{B}_i^{r\epsilon}(p, q)$. Assume now that $p(0) = 0$ and $q \neq 0$, then there exists $z_i \in Z_i$ such that $q \cdot z_i < 0$ (by Assumption **F2**). We can choose $\lambda > 0$ small enough ($\lambda\|z_i\| \leq r_2$) so that $z_i^r := \lambda z_i \in Z_i^r := Z_i \cap B_j(0, r_2)$ (since $Z_i^r \in B_j(0, r_2)$), and $z_i^r \in Z_i$ recalling that $z_i \in Z_i, 0 \in Z_i$ and Z_i is convex) and $q \cdot z_i^r < 0$. Again, from above, we can choose $\lambda > 0$ small enough so that $p(s) \cdot (x_i^r(s) - e_i(s)) - \epsilon_s(p, q) < V_s(p) \cdot z_i^r$ for all $s \in \mathcal{S}$. Thus, $(x_i^r, z_i^r) \in \widetilde{B}_i^{r\epsilon}(p, q) \neq \emptyset$.

We now prove the equality $B_i^{r\epsilon}(p, q) = \text{cl}\widetilde{B}_i^{r\epsilon}(p, q)$. The first inclusion $\text{cl}\widetilde{B}_i^{r\epsilon}(p, q) \subset B_i^{r\epsilon}(p, q)$ is immediate. Conversely, let $(x_i, z_i) \in B_i^{r\epsilon}(p, q)$ and let $(\bar{x}_i, \bar{z}_i) \in \widetilde{B}_i^{r\epsilon}(p, q) \neq \emptyset$, then $(x_i, z_i) = \lim_{t \rightarrow 0} (x_i^t, z_i^t) \in \text{cl}\widetilde{B}_i^{r\epsilon}(p, q)$ taking $(x_i^t, z_i^t) := (1 - t)(x_i, z_i) + t(\bar{x}_i, \bar{z}_i) \in \widetilde{B}_i^{r\epsilon}(p, q)$ for all $t \in (0, 1]$. \square

We now introduce an additional agent and, as in Gale and Mas-Colell (1975, 1979), we set the following reaction correspondences defined on $\Pi \times \prod_{i \in \mathcal{I}} X_i^r \times Z_i^r$

$$\Phi_i(p, q, x, z) = \begin{cases} B_i^{r\epsilon}(p, q) & \text{if } (x_i, z_i) \notin B_i^{r\epsilon}(p, q) \\ \widetilde{B}_i^{r\epsilon}(p, q) \cap (P_i^r(x) \times Z_i^r) & \text{if } (x_i, z_i) \in B_i^{r\epsilon}(p, q), \end{cases}$$

$$\Phi_0(p, q, x, z) = \left\{ (p', q') \in \Pi : (p' - p) \cdot \sum_{i \in \mathcal{I}} (x_i - e_i) + (q' - q) \cdot \sum_{i \in \mathcal{I}} z_i > 0 \right\}.$$

The main properties of the correspondences Φ_i are stated in the following lemma, the proof of which is given in Appendix A.5.

Lemma 5. For all $i \in \{0\} \cup \mathcal{I}$, the correspondence Φ_i is lower semicontinuous with convex values on $\Pi \times \prod_{i \in \mathcal{I}} X_i^r \times Z_i^r$.

The proof of Theorem 2 relies on the following theorem due to Gale and Mas-Colell (1975).

Theorem 3. Let \mathcal{I}_0 be a finite set, let C_i ($i \in \mathcal{I}_0$) be a nonempty, compact, convex subset of some Euclidean space, let $C = \prod_{i \in \mathcal{I}_0} C_i$ and let Φ_i ($i \in \mathcal{I}_0$) be a correspondence from C to C_i , which is lower semicontinuous and convex-valued. Then, there exists $c^* = (c_i^*)_i \in C$ such that, for every $i \in \mathcal{I}_0$ [either $c_i^* \in \Phi_i(c^*)$ or $\Phi_i(c^*) = \emptyset$].

We apply Theorem 3 to the sets $\mathcal{I}_0 = \{0\} \cup \mathcal{I}$, $C_0 = \Pi$, $C_i = X_i^r \times Z_i^r$ ($i \in \mathcal{I}$), and to the correspondences Φ_i ($i \in \mathcal{I}_0$) defined above. We check that the assumptions of Theorem 3 are fulfilled. The set Π is convex since the set $\text{cl}Q(p) \cap Z_{\mathcal{F}}$ is convex and does not depend on p (by Assumption **F0** and Lemma 4). Moreover Π is obviously compact, and nonempty (since $(0, 0) \in \Pi$). For every $i \in \mathcal{I}$, the set $X_i^r \times Z_i^r$ is clearly compact, convex, and nonempty (since it contains $(e_i, 0)$). Finally, for every $i \in \mathcal{I}_0$, the correspondence Φ_i is lower semicontinuous and convex-valued by Lemma 5.

It follows from Theorem 3 that there exists $(\bar{p}, \bar{q}, \bar{x}, \bar{z}) \in \Pi \times \prod_{i \in \mathcal{I}} (X_i^r \times Z_i^r)$ such that for all $i \in \mathcal{I}$, either $\Phi_i(\bar{p}, \bar{q}, \bar{x}, \bar{z}) = \emptyset$ or $(\bar{x}_i, \bar{z}_i) \in \Phi_i(\bar{p}, \bar{q}, \bar{x}, \bar{z})$, and for $i = 0$, either $\Phi_0(\bar{p}, \bar{q}, \bar{x}, \bar{z}) = \emptyset$ or $(\bar{p}, \bar{q}) \in \Phi_0(\bar{p}, \bar{q}, \bar{x}, \bar{z})$. Remark that, by construction, $(\bar{p}, \bar{q}) \notin \Phi_0(\bar{p}, \bar{q}, \bar{x}, \bar{z})$, hence $\Phi_0(\bar{p}, \bar{q}, \bar{x}, \bar{z}) = \emptyset$ or equivalently:

$$p \cdot \sum_{i \in \mathcal{I}} (\bar{x}_i - e_i) + q \cdot \sum_{i \in \mathcal{I}} \bar{z}_i \leq \bar{p} \cdot \sum_{i \in \mathcal{I}} (\bar{x}_i - e_i) + \bar{q} \cdot \sum_{i \in \mathcal{I}} \bar{z}_i \quad \text{for all } (p, q) \in \Pi. \tag{4}$$

Moreover, for every $i \in \mathcal{I}$, $(\bar{x}_i, \bar{z}_i) \in B_i^{r\epsilon}(\bar{p}, \bar{q})$; indeed if $(\bar{x}_i, \bar{z}_i) \notin B_i^{r\epsilon}(\bar{p}, \bar{q})$, then $(\bar{x}_i, \bar{z}_i) \notin \Phi_i(\bar{p}, \bar{q}, \bar{x}, \bar{z}) = B_i^{r\epsilon}(\bar{p}, \bar{q})$ and $\Phi_i(\bar{p}, \bar{q}, \bar{x}, \bar{z}) \neq \emptyset$ (since it contains $(e_i, 0)$), a contradiction. Consequently, for all $i \in \mathcal{I}$, either $\widetilde{B}_i^{r\epsilon}(\bar{p}, \bar{q}) \cap (P_i^r(\bar{x}) \times Z_i^r) = \emptyset$ or $(\bar{x}_i, \bar{z}_i) \in \widetilde{B}_i^{r\epsilon}(\bar{p}, \bar{q}) \cap (P_i^r(\bar{x}) \times Z_i^r)$ and the second condition cannot hold from the irreflexivity of P_i^r (by Assumption **C**). Thus we can conclude that

$$\text{for all } i \in \mathcal{I}, (\bar{x}_i, \bar{z}_i) \in B_i^{r\epsilon}(\bar{p}, \bar{q}) \text{ and } \widetilde{B}_i^{r\epsilon}(\bar{p}, \bar{q}) \cap (P_i^r(\bar{x}) \times Z_i^r) = \emptyset. \tag{5}$$

3.3. Checking the market clearing conditions

Since the Market Clearing Condition $\sum_{i \in \mathcal{I}} \bar{z}_i = 0$ may not be satisfied by the portfolios $\bar{z} = (\bar{z}_i)_i$, the purpose of the next claim is to define new portfolios $\bar{\bar{z}}_i$ ($i \in \mathcal{I}$) that will satisfy the Market Clearing Condition $\sum_{i \in \mathcal{I}} \bar{\bar{z}}_i = 0$ and will also be admissible, i.e., $\bar{\bar{z}}_i \in \widehat{Z}_i \subset Z_i^r$ for all i .

Claim 2. (a) For every i , $V(\bar{p})\bar{\bar{z}}_i \geq v_i$, $\sum_{i \in \mathcal{I}} \bar{\bar{z}}_i \in -\mathbf{A}_{\mathcal{F}}$, and $\bar{q} \cdot \sum_{i \in \mathcal{I}} \bar{\bar{z}}_i = 0$.

We let $\bar{\bar{z}}_i = \bar{z}_i + \zeta_i$, for some $\zeta_i \in \mathbf{AZ}_i \cap \{V(\bar{p}) \geq 0\}$ ($i \in \mathcal{I}$) such that $\sum_{i \in \mathcal{I}} \bar{\bar{z}}_i = -\sum_{i \in \mathcal{I}} \zeta_i$.

(b) Then $\sum_{i \in \mathcal{I}} \bar{\bar{z}}_i = 0$, for every i , $\bar{\bar{z}}_i \in \widehat{Z}_i \subset Z_i^r$, $\bar{q} \cdot \bar{\bar{z}}_i = \bar{q} \cdot \bar{z}_i$, $V(\bar{p})\bar{\bar{z}}_i \geq V(\bar{p})\bar{z}_i$ and $(\bar{x}_i, \bar{\bar{z}}_i) \in B_i^{r\epsilon}(\bar{p}, \bar{q})$.

Proof. Part (a). First, $V(\bar{p})\bar{z}_i \geq v_i$ follows from the definition of v_i (in (2)) and $(\bar{x}_i, \bar{z}_i) \in B_i^{r\epsilon}(\bar{p}, \bar{q})$ (by (5)).

Second, we show that $\sum_{i \in \mathcal{I}} \bar{z}_i \in (\text{cl}Q(\bar{p}) \cap Z_{\mathcal{F}})^0$. If this does not hold, then there exists $q' \in \text{cl}Q(\bar{p}) \cap Z_{\mathcal{F}}$ such that $q' \cdot (\sum_{i \in \mathcal{I}} \bar{z}_i) > 0$. Without any loss of generality, we can assume that $q' \in B_j(0, 1)$. From (4) (taking $(p, q) \in \Pi$ defined by $p(0) = 0, p(s) = \bar{p}(s)$ for $s \neq 0$ and $q = q'$) we have

$$0 < q' \cdot \sum_{i \in \mathcal{I}} \bar{z}_i \leq \bar{p}(0) \cdot \sum_{i \in \mathcal{I}} (\bar{x}_i(0) - e_i(0)) + \bar{q} \cdot \sum_{i \in \mathcal{I}} \bar{z}_i. \tag{6}$$

Since $(\bar{x}_i, \bar{z}_i) \in B_i^{r\epsilon}(\bar{p}, \bar{q})$ (by (5)) we deduce that

$$\bar{p}(0) \cdot (\bar{x}_i(0) - e_i(0)) + \bar{q} \cdot \bar{z}_i \leq \epsilon_0(\bar{p}, \bar{q}) := 1 - \|\bar{p}(0)\| - \|\bar{q}\| \text{ for all } i \in \mathcal{I}.$$

Summing up over i we get

$$\bar{p}(0) \cdot \sum_{i \in \mathcal{I}} (\bar{x}_i(0) - e_i(0)) + \bar{q} \cdot \sum_{i \in \mathcal{I}} \bar{z}_i \leq (1 - \|\bar{p}(0)\| - \|\bar{q}\|)I,$$

which together with the above inequality (6) implies that $\|\bar{p}(0)\| + \|\bar{q}\| < 1$. Hence there exists $\alpha > 1$ such that $\|\alpha\bar{p}(0)\| + \|\alpha\bar{q}\| < 1$ and $\alpha\bar{q} \in \text{cl}Q(\bar{p}) \cap Z_{\mathcal{F}}$ (since the latter set is a cone). Consequently, from (4), (taking $(p, q) \in \Pi$ defined by $p(0) = \alpha\bar{p}(0), p(s) = \bar{p}(s)$ for $s \neq 0$ and $q = \alpha\bar{q}$) we deduce that:

$$\alpha\bar{p}(0) \cdot \sum_{i \in \mathcal{I}} (\bar{x}_i(0) - e_i(0)) + \alpha\bar{q} \cdot \sum_{i \in \mathcal{I}} \bar{z}_i \leq \bar{p}(0) \cdot \sum_{i \in \mathcal{I}} (\bar{x}_i(0) - e_i(0)) + \bar{q} \cdot \sum_{i \in \mathcal{I}} \bar{z}_i.$$

Dividing by $\bar{p}(0) \cdot \sum_{i \in \mathcal{I}} (\bar{x}_i(0) - e_i(0)) + \bar{q} \cdot \sum_{i \in \mathcal{I}} \bar{z}_i > 0$ (by inequality (6)), we get $\alpha \leq 1$, which contradicts that $\alpha > 1$.

Third, we show that $\sum_{i \in \mathcal{I}} \bar{z}_i \in -\mathbf{A}_{\mathcal{F}}$. From above, we have $\sum_{i \in \mathcal{I}} \bar{z}_i \in (\text{cl}Q(\bar{p}) \cap Z_{\mathcal{F}})^0 = -\mathbf{A}_{\mathcal{F}} + (Z_{\mathcal{F}})^{\perp}$ (by Lemma 4). Thus, there exists $a \in \mathbf{A}_{\mathcal{F}}$ such that $\sum_{i \in \mathcal{I}} \bar{z}_i + a \in (Z_{\mathcal{F}})^{\perp}$ but $\sum_{i \in \mathcal{I}} \bar{z}_i + a \in Z_{\mathcal{F}}$ (since $a \in \mathbf{A}_{\mathcal{F}} \subset Z_{\mathcal{F}}$ and $\bar{z}_i \in Z_i \subset Z_{\mathcal{F}}$ for each $i \in \mathcal{I}$). Hence $\sum_{i \in \mathcal{I}} \bar{z}_i + a \in (Z_{\mathcal{F}})^{\perp} \cap Z_{\mathcal{F}} = \{0\}$. Therefore, $\sum_{i \in \mathcal{I}} \bar{z}_i = -a \in -\mathbf{A}_{\mathcal{F}}$.

Finally, we show that $\bar{q} \cdot \sum_{i \in \mathcal{I}} \bar{z}_i = 0$. We have $\bar{q} \cdot \sum_{i \in \mathcal{I}} \bar{z}_i \leq 0$ since $\bar{q} \in \text{cl}Q(\bar{p}) \cap Z_{\mathcal{F}}$ and $\sum_{i \in \mathcal{I}} \bar{z}_i \in (\text{cl}Q(\bar{p}) \cap Z_{\mathcal{F}})^0$ (from above). Taking $(p, q) = (\bar{p}, 0) \in \Pi$ in (4) we deduce that $0 \leq \bar{q} \cdot \sum_{i \in \mathcal{I}} \bar{z}_i$. Hence, $\bar{q} \cdot \sum_{i \in \mathcal{I}} \bar{z}_i = 0$.

Part (b). The equality $\sum_{i \in \mathcal{I}} \bar{z}_i = 0$ is straightforward and, for all $i, V(\bar{p})\bar{z}_i \geq V(\bar{p})\bar{z}_i$ (since $\bar{z}_i - \bar{z}_i = \zeta_i \in \{V(\bar{p}) \geq 0\}$). To show that, for all $i, \bar{z}_i \in \bar{Z}_i \subset Z_i^r$, it is sufficient to prove that

$$(\bar{z}, \bar{p}) \in K_{\bar{v}} = \{(z_1, \dots, z_I, p) \in (\prod_i Z_i) \times B_L(0, 1) : \forall i, V(p)z_i \geq v_i, -\sum_{i \in \mathcal{I}} z_i \in \mathbf{A}_{\mathcal{F}}\}.$$

Indeed, for all $i, \bar{z}_i = \bar{z}_i + \zeta_i \in Z_i^r$ (since $\bar{z}_i \in Z_i^r \subset Z_i$ and $\zeta_i \in \mathbf{AZ}_i$). Moreover, $V(\bar{p})\bar{z}_i \geq V(\bar{p})\bar{z}_i \geq v_i$ by Part (a). Finally, $\sum_{i \in \mathcal{I}} \bar{z}_i = 0 \in \mathbf{A}_{\mathcal{F}}$. This ends the proof that $(\bar{z}, \bar{p}) \in K_{\bar{v}}$.

We now show that $\bar{q} \cdot (\bar{z}_i - \bar{z}_i) = \bar{q} \cdot \zeta_i = 0$ for every $i \in \mathcal{I}$. Indeed, first $-\bar{q} \cdot \zeta_i \leq 0$ for every i since $\bar{q} \in \text{cl}Q(\bar{p}) \cap Z_{\mathcal{F}} = -(\mathbf{A}_{\mathcal{F}} + (Z_{\mathcal{F}})^{\perp})^0$ (by Lemma 4) and $\zeta_i \in \mathbf{AZ}_i \cap \{V(\bar{p}) \geq 0\} \subset \mathbf{A}_{\mathcal{F}}$. Recalling that $\bar{q} \cdot \sum_{i \in \mathcal{I}} \zeta_i = -\bar{q} \cdot \sum_{i \in \mathcal{I}} \bar{z}_i = 0$ from Part (a), we deduce that $\bar{q} \cdot \zeta_i = 0$ for every $i \in \mathcal{I}$.

Finally, for all $i, (\bar{x}_i, \bar{z}_i) \in B_i^{r\epsilon}(\bar{p}, \bar{q})$ since $(\bar{x}_i, \bar{z}_i) \in B_i^{r\epsilon}(\bar{p}, \bar{q})$ (by 5)) and, from above $W(\bar{p}, \bar{q})\bar{z}_i \leq W(\bar{p}, \bar{q})\bar{z}_i$. \square

We now show that the Market Clearing Condition holds for the commodity markets.

Claim 3. $\sum_{i \in \mathcal{I}} \bar{x}_i = \sum_{i \in \mathcal{I}} e_i$.

Proof. We first prove that the equality holds at state $s = 0$. If $\sum_{i \in \mathcal{I}} \bar{x}_i(0) \neq \sum_{i \in \mathcal{I}} e_i(0)$, we deduce from (4), (taking $(p, q) \in \Pi$ defined by $p(0) = \sum_{i \in \mathcal{I}} (\bar{x}_i(0) - e_i(0)) / \|\sum_{i \in \mathcal{I}} (\bar{x}_i(0) - e_i(0))\|, p(s) = \bar{p}(s)$ for $s \neq 0$ and $q = 0$) that

$$0 < \|\sum_{i \in \mathcal{I}} (\bar{x}_i(0) - e_i(0))\| \leq \bar{p}(0) \cdot \sum_{i \in \mathcal{I}} (\bar{x}_i(0) - e_i(0)) + \bar{q} \cdot \sum_{i \in \mathcal{I}} \bar{z}_i,$$

and in the exact same way as for inequality (6) in the proof of Claim 2 we obtain a contradiction.

We now prove that the equality holds for every state $s \neq 0$. Suppose that, for some $s \neq 0, \sum_{i \in \mathcal{I}} \bar{x}_i(s) \neq \sum_{i \in \mathcal{I}} e_i(s)$. From (4), we deduce that $\|\bar{p}(s)\| = 1$, hence $\epsilon_s(\bar{p}, \bar{q}) = 1 - \|\bar{p}(s)\| = 0$, and

$$0 < \bar{p}(s) \cdot \sum_{i \in \mathcal{I}} (\bar{x}_i(s) - e_i(s)).$$

Since $(\bar{x}_i, \bar{z}_i) \in B_i^{r\epsilon}(\bar{p}, \bar{q})$ (by Claim 2), and $\epsilon_s(\bar{p}, \bar{q}) = 0$, we have $\bar{p}(s) \cdot (\bar{x}_i(s) - e_i(s)) \leq V_s(\bar{p}) \cdot \bar{z}_i$ for all $i \in \mathcal{I}$, where $V_s(\bar{p})$ denotes the s -th row of the matrix $V(\bar{p})$. Summing up over i , and using the fact that $\sum_{i \in \mathcal{I}} \bar{z}_i = 0$ (by Claim 2) we get $\bar{p}(s) \cdot \sum_{i \in \mathcal{I}} (\bar{x}_i(s) - e_i(s)) \leq \sum_{i \in \mathcal{I}} V_s(\bar{p}) \cdot \bar{z}_i = 0$, a contradiction with the above strict inequality. \square

3.4. The list $(\bar{x}, \bar{z}, \bar{p}, \bar{q})$ is an equilibrium of $(\mathcal{E}, \mathcal{F})$

We prepare the proof with the following claims.

Claim 4. $B_i^{r\epsilon}(\bar{p}, \bar{q}) \cap (P_i^r(\bar{x}) \times Z_i^r) = \emptyset$.

Proof. From (5), one has $\bar{B}_i^{r\epsilon}(\bar{p}, \bar{q}) \cap (P_i^r(\bar{x}) \times Z_i^r) = \emptyset$. Since P_i^r has open values and since $B_i^{r\epsilon}(\bar{p}, \bar{q}) = \text{cl}\bar{B}_i^{r\epsilon}(\bar{p}, \bar{q})$ (by Claim 1 since $(\bar{p}, \bar{q}) \in \Pi$), we deduce that $B_i^{r\epsilon}(\bar{p}, \bar{q}) \cap (P_i^r(\bar{x}) \times Z_i^r) = \emptyset$. \square

Claim 5. $\epsilon(\bar{p}, \bar{q}) = 0$, that is, $\|\bar{p}(0)\| + \|\bar{q}\| = 1$, and $\|\bar{p}(s)\| = 1$ for every $s \in S$.

Proof. From Claim 2, $(\bar{x}_i, \bar{z}_i) \in B_i^{r\epsilon}(\bar{p}, \bar{q})$ for each $i \in \mathcal{I}$, hence $\bar{p} \square (\bar{x}_i - e_i) \leq W(\bar{p}, \bar{q}) \bar{z}_i + \epsilon(\bar{p}, \bar{q})$. We now claim that the budget inequality is binding, that is

$$\bar{p} \square (\bar{x}_i - e_i) = W(\bar{p}, \bar{q}) \bar{z}_i + \epsilon(\bar{p}, \bar{q}) \text{ for all } i \in \mathcal{I}. \tag{7}$$

Indeed, if it is not true then there exists $s \in \bar{S}$ such that $\bar{p}(s) \cdot (\bar{x}_i(s) - e_i(s)) < W_s(\bar{p}, \bar{q}) \cdot \bar{z}_i + \epsilon_s(\bar{p}, \bar{q})$. From the Local Nonsatiation LNS, there exists $x_i^n(s) \rightarrow \bar{x}_i(s)$ such that $x_i^n := (x_i^n(s), \bar{x}_i(-s)) \in P_i^r(\bar{x})$ for all n . Then, it is possible to choose n large enough so that $(x_i^n, \bar{z}_i) \in B_i^{r\epsilon}(\bar{p}, \bar{q})$, which together with $x_i^n \in P_i^r(\bar{x})$ contradicts the fact that $B_i^{r\epsilon}(\bar{p}, \bar{q}) \cap (P_i^r(\bar{x}) \times Z_i^r) = \emptyset$ (by Claim 4).

Summing up over i the equalities (7) and using the facts that $\sum_{i \in \mathcal{I}} \bar{z}_i = 0$ (Claim 2) and $\sum_{i \in \mathcal{I}} \bar{x}_i = \sum_{i \in \mathcal{I}} e_i$ (Claim 3), we get $l \in (\bar{p}, \bar{q}) = 0$. Hence $\epsilon(\bar{p}, \bar{q}) = 0$. \square

We now show that $(\bar{x}, \bar{z}, \bar{p}, \bar{q})$ is an equilibrium of $(\mathcal{E}, \mathcal{F})$. Since $\epsilon(\bar{p}, \bar{q}) = 0$ (Claim 5) for every i , $B_i^{r\epsilon}(\bar{p}, \bar{q}) = B_{\mathcal{F}^r}^i(\bar{p}, \bar{q})$ and from Claims 2, 3, and 4, we deduce that $(\bar{x}, \bar{z}, \bar{p}, \bar{q})$ is an equilibrium of $(\mathcal{E}^r, \mathcal{F}^r)$. To show that it is an equilibrium of $(\mathcal{E}, \mathcal{F})$, we only have to prove that

$$B_{\mathcal{F}^r}^i(\bar{p}, \bar{q}) \cap (P_i(\bar{x}) \times Z_i) = \emptyset \text{ for every } i \in \mathcal{I}.$$

Assume that it is not true, then for some i , there exists $(x_i, z_i) \in B_{\mathcal{F}^r}^i(\bar{p}, \bar{q}) \cap (P_i(\bar{x}) \times Z_i)$. From the choice of $r = (r_1, r_2)$ in the definition of the truncated economy, for all i , $\bar{x}_i \in \widehat{X}_i \subset \text{int}B_L(0, r_1)$ (since \bar{x} is an attainable allocation) and $\bar{z}_i \in \widehat{Z}_i \subset \text{int}B_J(0, r_2)$ (by Claim 2). Thus, for $t > 0$ small enough, $(x_i^t, z_i^t) := (\bar{x}_i + t(x_i - \bar{x}_i), \bar{z}_i + t(z_i - \bar{z}_i)) \in X_i^r \times Z_i^r$, hence $(x_i^t, z_i^t) \in B_{\mathcal{F}^r}^i(\bar{p}, \bar{q})$ (since $(x_i, z_i) \in B_{\mathcal{F}^r}^i(\bar{p}, \bar{q})$ and $(\bar{x}_i, \bar{z}_i) \in B_{\mathcal{F}^r}^i(\bar{p}, \bar{q})$). On the other hand, from the Local Nonsatiation Assumption LNS, for every $t \in (0, 1]$, $\bar{x}_i + t(x_i - \bar{x}_i) \in P_i(\bar{x})$. Hence $(x_i^t, z_i^t) \in B_{\mathcal{F}^r}^i(\bar{p}, \bar{q}) \cap (P_i(\bar{x}) \times Z_i^r) \neq \emptyset$, in contradiction with the fact it is empty by Claim 4.

Appendix A.

We modify the financial structure \mathcal{F} by considering the reduced financial structure \mathcal{F}_π which has the same payoff matrix as \mathcal{F} and the portfolio sets πZ_i ($i \in \mathcal{I}$) where π is the orthogonal projection mapping on the orthogonal space to $\mathbf{L}_\mathcal{F} := \mathbf{A}_\mathcal{F} \cap -\mathbf{A}_\mathcal{F}$. We recall that $Z_\mathcal{F} := \langle \cup_i Z_i \rangle$, $Z_{\mathcal{F}_\pi} := \langle \cup_i \pi Z_i \rangle$ and the definition of \mathcal{F}_π can be summarized by

$$\mathcal{F}_\pi = (V(p), (\pi Z_i)_i), \text{ where } \pi = \text{proj}_{(\mathbf{L}_\mathcal{F})^\perp}, \mathbf{L}_\mathcal{F} := \mathbf{A}_\mathcal{F} \cap -\mathbf{A}_\mathcal{F}, \text{ and } \mathbf{A}_\mathcal{F} := \sum_{i \in \mathcal{I}} (\mathbf{A}Z_i \cap \{V(p) \geq 0\}) \subset Z_\mathcal{F},$$

In the following, we will use extensively the following properties⁸ of the linear mapping π

$$q \cdot \pi z = \pi q \cdot z, \quad V(p)\pi z = V(p)z, \quad \text{hence } W(p, q)\pi z = W(p, \pi q)z \text{ for all } (p, q, z) \in \mathbb{R}^L \times \mathbb{R}^J \times \mathbb{R}^J \tag{8}$$

A.1. Proof of Lemma 1

We prepare the proof with two claims.

Claim 6. $Q_{\mathcal{F}_\pi}(p) \cap Z(\mathcal{F}_\pi) \subset Q_\mathcal{F}(p) \cap Z_\mathcal{F}$ for every $p \in \mathbb{R}^L$.

Proof. We first claim that $Q_{\mathcal{F}_\pi}(p) \cap Z(\mathcal{F}_\pi) \subset Q_{\mathcal{F}_\pi}(p) \cap \text{Im}\pi \subset Q_\mathcal{F}(p)$ for every $p \in \mathbb{R}^L$.

The first inclusion is a consequence of the fact that $Z(\mathcal{F}_\pi) \subset \text{Im}\pi$. We prove the second inclusion by contradiction. Assume that there is some $q \in Q_{\mathcal{F}_\pi}(p) \cap \text{Im}\pi$ such that $q \notin Q_\mathcal{F}(p)$. Then there exists $i \in \mathcal{I}$ and $\zeta_i \in \mathbf{A}Z_i$ such that $W(p, q)\zeta_i > 0$. But $\pi \zeta_i \in \pi(\mathbf{A}Z_i) \subset \mathbf{A}(\pi Z_i)$ (from Rockafellar, 1970) and by (8) (since $q \in \text{Im}\pi$ implies $q = \pi q$), $W(p, q)(\pi \zeta_i) = W(p, q)\zeta_i > 0$, which contradicts the fact that $q \in Q_{\mathcal{F}_\pi}(p)$. This ends the proof of the two inclusions.

We end the proof of Claim 6 by showing that $Z(\mathcal{F}_\pi) \subset Z_\mathcal{F}$. Indeed, let $y \in Z(\mathcal{F}_\pi)$, then $y = \pi z$ for some $z \in Z_\mathcal{F}$ and $y = \pi z = \pi z - z + z \in \ker \pi + Z_\mathcal{F} \subset Z_\mathcal{F}$ since $\ker \pi = \mathbf{L}_\mathcal{F} \subset Z_\mathcal{F}$. \square

⁸ The first equality comes from the fact that $\pi q \cdot \pi z = \pi q \cdot z$, since $\pi q \in \text{Im}\pi$ and $z - \pi z \in \ker \pi = (\text{Im}\pi)^\perp$ since π is an orthogonal projection mapping; then by symmetry $q \cdot \pi z = \pi q \cdot \pi z = \pi q \cdot z$. The second one holds since $z - \pi z \in \ker \pi = \mathbf{L}_\mathcal{F}$ and $\mathbf{L}_\mathcal{F} := \mathbf{A}_\mathcal{F} \cap -\mathbf{A}_\mathcal{F} \subset \{V(p) \geq 0\} \cap -\{V(p) \geq 0\} = \ker V(p)$.

Claim 7. $\sum_{i \in \mathcal{I}} (\pi Z_i \cap \{V(p) \geq v_i\}) \subset \sum_{i \in \mathcal{I}} (Z_i \cap \{V(p) \geq v_i\})$ for all $v = (v_i)_{i \in \mathcal{I}} \in (\mathbb{R}^S)^I$ and all $p \in \mathbb{R}^L$.

Proof. The result is a consequence of the two following inclusions

$$\sum_{i \in \mathcal{I}} (\pi Z_i \cap \{V(p) \geq v_i\}) \subset \ker \pi + \sum_{i \in \mathcal{I}} (Z_i \cap \{V(p) \geq v_i\}) \subset \sum_{i \in \mathcal{I}} (Z_i \cap \{V(p) \geq v_i\}).$$

To prove the first inclusion, let $y = \sum_{i \in \mathcal{I}} y_i$ such that $y_i = \pi z_i$ for some $z_i \in Z_i$ and $V(p)y_i \geq v_i$. Then $y = \sum_{i \in \mathcal{I}} y_i = \sum_{i \in \mathcal{I}} (\pi z_i - z_i) + \sum_{i \in \mathcal{I}} z_i \in \ker \pi + \sum_{i \in \mathcal{I}} (Z_i \cap \{V(p) \geq v_i\})$ since $\pi z_i - z_i \in \ker \pi$ and $V(p)z_i = V(p)\pi z_i = V(p)y_i \geq v_i$, from the properties (8) of the mapping π .

To prove the second inclusion, from the definition of the asymptotic cone in the convex case it suffices to show that $\ker \pi \subset \mathbf{A}(\sum_{i \in \mathcal{I}} (Z_i \cap \{V(p) \geq v_i\}))$ and that the convex set $\sum_{i \in \mathcal{I}} (Z_i \cap \{V(p) \geq v_i\})$ is closed. From Rockafellar (1970), if the sets C_k ($k \in K$) are polyhedral convex sets in \mathbb{R}^n , then $\sum_{k \in K} C_k$ is also a polyhedral convex set (hence is closed) and $\sum_{k \in K} \mathbf{A}C_k = \mathbf{A}(\sum_{k \in K} C_k)$. Since Z_i ($i \in I$) is a polyhedral convex set (by Assumption **FN1**), the set $Z_i \cap \{V(p) \geq v_i\}$ is also a polyhedral convex set, hence $\sum_{i \in \mathcal{I}} (Z_i \cap \{V(p) \geq v_i\})$ is a polyhedral set and it is closed. Recalling that $\ker \pi = \mathbf{L}_{\mathcal{F}} \subset \mathbf{A}_{\mathcal{F}}$, from the previously mentioned result we get

$$\ker \pi = \mathbf{L}_{\mathcal{F}} \subset \mathbf{A}_{\mathcal{F}} = \sum_{i \in \mathcal{I}} \mathbf{A}Z_i \cap \{V(p) \geq 0\} = \sum_{i \in \mathcal{I}} \mathbf{A}(Z_i \cap \{V(p) \geq v_i\}) = \mathbf{A}(\sum_{i \in \mathcal{I}} (Z_i \cap \{V(p) \geq v_i\})) \tag{9}$$

□

We are now ready to give the proof of Lemma 1.

0. \mathcal{F}_{π} satisfies **F0.** The financial structure \mathcal{F} satisfies **F0**, that is, the set $\mathbf{A}_{\mathcal{F}} := \sum_{i \in \mathcal{I}} (\mathbf{A}Z_i \cap \{V(p) \geq 0\})$ does not depend on p . Clearly, \mathcal{F}_{π} will also satisfy **F0** if we show that $\mathbf{A}_{\mathcal{F}_{\pi}} := \sum_{i \in \mathcal{I}} (\mathbf{A}\pi Z_i \cap \{V(p) \geq 0\}) = \pi(\mathbf{A}_{\mathcal{F}})$. We recall that, for all i , $\mathbf{A}\pi Z_i = \pi \mathbf{A}Z_i$ since Z_i is a polyhedral convex set (see Rockafellar, 1970). To prove the first inclusion, let $y \in \mathbf{A}_{\mathcal{F}_{\pi}}$, then $y = \sum_{i \in \mathcal{I}} y_i$ for some y_i such that $y_i = \pi z_i$ for some $z_i \in \mathbf{A}Z_i$ and $V(p)y_i \geq 0$. But $V(p)z_i = V(p)\pi z_i = V(p)y_i \geq 0$ by (8), hence $y \in \pi(\mathbf{A}_{\mathcal{F}})$. Conversely, let $y \in \pi(\mathbf{A}_{\mathcal{F}})$, then $y = \pi(\sum_{i \in \mathcal{I}} z_i)$ for some $z_i \in \mathbf{A}Z_i \cap \{V(p) \geq 0\}$. But $\pi z_i \in \pi \mathbf{A}Z_i = \mathbf{A}\pi Z_i$ and $V(p)\pi z_i = V(p)z_i \geq 0$ from the properties (8) of the mapping π . Thus $y = \sum_{i \in \mathcal{I}} \pi z_i \in \mathbf{A}_{\mathcal{F}_{\pi}}$.

1. \mathcal{F}_{π} satisfies **F1 and **FN1**.** Indeed, πZ_i is a polyhedral convex set, since Z_i is a polyhedral convex set and π is linear (see for example Rockafellar, 1970) and πZ_i contains 0.

2. \mathcal{F}_{π} satisfies **F2.** Let $q \in \text{cl}Q_{\mathcal{F}_{\pi}}(p) \cap Z(\mathcal{F}_{\pi}) - \{0\}$ and recall that $\text{cl}Q_{\mathcal{F}_{\pi}}(p) \cap Z(\mathcal{F}_{\pi}) - \{0\} \subset \text{cl}Q_{\mathcal{F}}(p) \cap Z_{\mathcal{F}} - \{0\}$ by Claim 6. Since \mathcal{F} satisfies **F2**, for all $i \in \mathcal{I}$, there exists $z_i \in Z_i$ such that $q \cdot z_i < 0$. But $\pi z_i \in \pi Z_i$ and $q \cdot \pi z_i = q \cdot z_i < 0$ (from the properties (8) of the mapping π since $q \in Z(\mathcal{F}_{\pi}) \subset \text{Im} \pi$), thus \mathcal{F}_{π} satisfies **F2**.

3. \mathcal{F}_{π} satisfies **F3.** Taking $v_i = 0$ for every i in Claim 7, and in (9), we deduce that

$$\mathbf{A}_{\mathcal{F}_{\pi}} = \mathbf{A} \left(\sum_{i \in \mathcal{I}} (\pi Z_i \cap \{V(p) \geq 0\}) \right) \subset \mathbf{A} \left(\sum_{i \in \mathcal{I}} (Z_i \cap \{V(p) \geq 0\}) \right) = \mathbf{A}_{\mathcal{F}}.$$

Consequently, $\mathbf{L}_{\mathcal{F}_{\pi}} \subset \mathbf{L}_{\mathcal{F}}$. Moreover, $\mathbf{L}_{\mathcal{F}_{\pi}} \subset \mathbf{A}_{\mathcal{F}_{\pi}} \subset \sum_{i \in \mathcal{I}} (\pi Z_i \cap \{V(p) \geq 0\}) \subset \text{Im} \pi$ and $\mathbf{L}_{\mathcal{F}} = \ker \pi$ (from the definition of the mapping π). Consequently $\mathbf{L}_{\mathcal{F}_{\pi}} \subset \mathbf{L}_{\mathcal{F}} \cap \text{Im} \pi = \ker \pi \cap \text{Im} \pi = \{0\}$. This ends the proof of Lemma 1.

A.2. Proof of Lemma 2

Let $(\bar{p}, \bar{q}, \bar{x}, \bar{z})$ be an equilibrium of the economy $(\mathcal{E}, \mathcal{F}_{\pi})$. We first claim that there exists $z_i^* \in Z_i$ ($i \in \mathcal{I}$) such that $V(\bar{p})z_i^* = V(\bar{p})\bar{z}_i$ for all i and $\sum z_i^* = 0$. Indeed, by Claim 7, taking $v_i := V(\bar{p})\bar{z}_i$ for all i , one gets

$$0 = \sum_{i \in \mathcal{I}} \bar{z}_i \in \sum_{i \in \mathcal{I}} (\pi Z_i \cap \{V(\bar{p}) \geq V(\bar{p})\bar{z}_i\}) \subset \sum_{i \in \mathcal{I}} (Z_i \cap \{V(\bar{p}) \geq V(\bar{p})\bar{z}_i\}).$$

Hence $0 = \sum_{i \in \mathcal{I}} z_i^*$ for some $z_i^* \in Z_i$ such that $V(\bar{p})z_i^* \geq V(\bar{p})\bar{z}_i$ for every i . But $\sum_{i \in \mathcal{I}} V(\bar{p})(z_i^* - \bar{z}_i) = 0$ since $\sum_{i \in \mathcal{I}} (z_i^* - \bar{z}_i) = 0$ and we conclude that $V(\bar{p})(z_i^* - \bar{z}_i) = 0$ for every i . This ends the proof of the claim.

We will show that $(\bar{p}, \pi \bar{q}, \bar{x}, z^*)$ is an equilibrium of $(\mathcal{E}, \mathcal{F})$. We first prove that $(\bar{x}_i, z_i^*) \in B_{\mathcal{F}}^i(\bar{p}, \pi \bar{q})$ for all i . Since $(\bar{x}_i, \bar{z}_i) \in B_{\mathcal{F}_{\pi}}^i(\bar{p}, \bar{q})$ it suffices to show that, for all i , $z_i^* \in Z_i$ and $W(\bar{p}, \pi \bar{q})z_i^* = W(\bar{p}, \bar{q})\bar{z}_i$. In view of the previous claim, $V(\bar{p})z_i^* = V(\bar{p})\bar{z}_i$ for all i and it only remains to show that $\pi \bar{q} \cdot z_i^* = \bar{q} \cdot \bar{z}_i$ for all i . But, with the Market Clearing Condition $\sum z_i^* = 0$ proved in the above claim, it suffices to show that $\pi \bar{q} \cdot z_i^* \geq \bar{q} \cdot \bar{z}_i$ for all i . Indeed, suppose that for some i one has $-\pi \bar{q} \cdot z_i^* > -\bar{q} \cdot \bar{z}_i$. But this implies that $W(\bar{p}, \bar{q})\pi z_i^* > W(\bar{p}, \bar{q})\bar{z}_i$, with $\pi z_i^* \in \pi Z_i$; indeed, from above and the properties (8) of the mapping π , one has $-\bar{q} \cdot \pi z_i^* = -\pi \bar{q} \cdot z_i^* > -\bar{q} \cdot \bar{z}_i$ and $V(\bar{p})\pi z_i^* = V(\bar{p})z_i^* = V(\bar{p})\bar{z}_i$. In other words, the i -th agent has an arbitrage opportunity in the financial economy $(\mathcal{E}, \mathcal{F}_{\pi})$, which is impossible when $(\bar{p}, \bar{q}, \bar{x}, \bar{z})$ is an equilibrium of $(\mathcal{E}, \mathcal{F}_{\pi})$ under Assumption **C** (see for example, Angeloni and Cornet, 2006).

We end the proof by showing that $B_{\mathcal{F}}^i(\bar{p}, \pi \bar{q}) \cap [P_i(\bar{x}) \times Z_i] = \emptyset$ for all $i \in \mathcal{I}$. Suppose that for some i there exists $(x_i, z_i) \in B_{\mathcal{F}}^i(\bar{p}, \pi \bar{q}) \cap [P_i(\bar{x}) \times Z_i]$. We then deduce that $(x_i, \pi z_i) \in B_{\mathcal{F}_{\pi}}^i(\bar{p}, \bar{q})$ since $(x_i, z_i) \in B_{\mathcal{F}}^i(\bar{p}, \pi \bar{q})$ and $W(\bar{p}, \pi \bar{q})z_i = W(\bar{p}, \bar{q})\pi z_i$,

from the **properties (8)** of the mapping π . But $(x_i, \pi z_i) \in B_{\mathcal{F}_\pi}^i(\bar{p}, \bar{q})$, together with $(x_i, \pi z_i) \in P_i(\bar{x}) \times \pi Z_i$ contradicts the fact that $(\bar{p}, \bar{q}, \bar{x}, \bar{z})$ is an equilibrium of $(\mathcal{E}, \mathcal{F}_\pi)$.

A.3. Proof of Lemma 3

We prepare the proof of **Lemma 3** with two claims. We let $S_\ell(0, 1) := \{y \in \mathbb{R}^\ell : \|y\| = 1\}$ and for every $s \in \mathcal{S}$

$$P_s := \{p(s) \in \mathbb{R}^\ell : \exists i \in \mathcal{I}, \exists x \in \mathcal{A}(\mathcal{E}), \forall x'_i(s), [(x'_i(s), x_i(-s)) \in P_i(x) \Rightarrow p(s) \cdot x'_i(s) \geq p(s) \cdot x_i(s) \geq p(s) \cdot e_i(s)]\}.$$

Claim 8. The set $P := \prod_{s \in \mathcal{S}} P_s$ is closed.

Proof. For every $s \in \mathcal{S}$, let $(p^n(s))_n$ be a sequence in P_s such that $p^n(s) \rightarrow p(s)$. For every $n \in \mathbb{N}$, the property defining P_s is satisfied for some agent $i_s^n \in \mathcal{I}$. Since there is a finite number of agents, by eventually considering a subsequence, we can assume there exists some agent $i_s \in \mathcal{I}$ (independent of n), say $i_s = 1$, such that, for all n , there exists $x^n \in \mathcal{A}(\mathcal{E})$ and $(x'_1(s), x^n(-s)) \in P_1(x^n)$ implies $p^n(s) \cdot x'_1(s) \geq p^n(s) \cdot x_1^n(s) \geq p^n(s) \cdot e_1(s)$. Since $\mathcal{A}(\mathcal{E})$ is compact (by Assumption **C**), without any loss of generality, we can assume that $x^n \rightarrow x \in \mathcal{A}(\mathcal{E})$.

We show that $p(s) \in P_s$. Indeed, let $i = 1$, let $x = \lim_{n \rightarrow \infty} x^n$ as defined above, and let $(x'_1(s), x_1(-s)) \in P_1(x)$. By Assumption **FN0**, P_1 has an open graph, hence for n large enough, $(x'_1(s), x_1^n(-s)) \in P_1(x^n)$ since $(x'_1(s), x_1^n(-s)) \rightarrow (x'_1(s), x_1(-s))$ and $x^n \rightarrow x$. From above, we deduce that $p^n(s) \cdot x'_1(s) \geq p^n(s) \cdot x_1^n(s) \geq p^n(s) \cdot e_1(s)$. Passing to the limit, when $n \rightarrow \infty$, we get $p(s) \cdot x'_1(s) \geq p(s) \cdot x_1(s) \geq p(s) \cdot e_1(s)$, hence $p(s) \in P_s$. \square

Claim 9. There exists $\varepsilon > 0$ such that $p(s) \cdot v \geq \varepsilon \|p(s)\|$ for all $p \in P$ and all $s \in \mathcal{S}$.

Proof. We start by proving that, for every $p(s) \in P_s \cap S_\ell(0, 1)$, $p(s) \cdot v > 0$. Indeed, if $p(s) \in P_s$, there exist $i_s \in \mathcal{I}$, say $i_s = 1$, and $x \in \mathcal{A}(\mathcal{E})$ such that $(x'_1(s), x_1(-s)) \in P_1(x)$ implies $p(s) \cdot x'_1(s) \geq p(s) \cdot x_1(s) \geq p(s) \cdot e_1(s)$. Since $e_1 \in \text{int} X_1$ (by the Survival Assumption in **C**) and $\|p(s)\| = 1$ (since $p(s) \in S_\ell(0, 1)$), there exists $y_1 \in X_1$ such that $p(s) \cdot x_1(s) \geq p(s) \cdot e_1(s) > p(s) \cdot y_1(s)$. But, for every $t > 0$, $(x_1(s) + tv, x_1(-s)) \in P_1(x)$ (from the Desirability Assumption in **FN**). Moreover, since $P_1(x)$ is open (by Assumption **C**), it is possible to choose $x'_1(s)$ such that $(x'_1(s) + tv, x_1(-s)) \in P_1(x)$ and $p(s) \cdot x_1(s) > p(s) \cdot x'_1(s)$.⁹ Since $p(s) \in P_s$ we deduce that

$$p(s) \cdot [x'_1(s) + tv] \geq p(s) \cdot x_1(s), \text{ that is, } tp(s) \cdot v \geq p(s) \cdot x_1(s) - p(s) \cdot x'_1(s) > 0.$$

Hence we have proved that, for every $p(s) \in P_s \cap S_\ell(0, 1)$, there exists $\varepsilon_p > 0$ such that $p(s) \cdot v > \varepsilon_p$. This implies that

$$P_s \cap S_\ell(0, 1) \subset \bigcup \{p(s) \in S_\ell(0, 1) : p(s) \cdot v > \varepsilon_p\}.$$

Since P_s is closed (by **Claim 8**) the set $P_s \cap S_\ell(0, 1)$ is compact and there exist finitely many prices p_1, \dots, p_r such that

$$P_s \cap S_\ell(0, 1) \subset \bigcup_{k=1}^r \{p(s) \in S_\ell(0, 1) : p(s) \cdot v > \varepsilon_{p_k}\}.$$

We let $\varepsilon(s) := \min\{\varepsilon_{p_1}, \dots, \varepsilon_{p_r}\}$ and $\varepsilon := \min\{\varepsilon(s) : s \in \mathcal{S}\}$. Then, for every $p(s) \in P_s - \{0\}$, $p(s)/\|p(s)\| \in P_s$ (noticing that P_s is a cone) hence $(p(s)/\|p(s)\|) \cdot v > \varepsilon(s) > 0$ and, for all $p \in P$ and all $s \in \mathcal{S}$, $p(s) \cdot v \geq \varepsilon \|p(s)\|$. \square

Proof of Lemma 3. We choose $\varepsilon > 0$ as in **Claim 9** and we show that every equilibrium $(\bar{p}, \bar{q}, \bar{x}, \bar{z})$ of $(\mathcal{E}, \mathcal{F}^\varepsilon)$ such that $\|\bar{p}(s)\| = 1$ for $s \in \mathcal{S}$, is also an equilibrium of $(\mathcal{E}, \mathcal{F})$. First we claim that $\bar{p} \in P$, that is $\bar{p}(s) \in P_s$ for every $s \in \mathcal{S}$. From the Financial Market Clearing Condition $\sum_{i \in \mathcal{I}} \bar{z}_i = 0$ we deduce that $V_s^\varepsilon(\bar{p}) \cdot (\sum_{i \in \mathcal{I}} \bar{z}_i) = 0$, hence there exists $i_s \in \mathcal{I}$, say $i_s = 1$, such that $V_s^\varepsilon(\bar{p}) \cdot \bar{z}_1 \geq 0$. We prove that $\bar{p}(s) \in P_s$ by showing that it satisfies the condition defining P_s with $i = 1$ and $\bar{x} = (\bar{x}_i)_i \in \mathcal{A}(\mathcal{E})$. Indeed, let $x'_1 := (x'_1(s), \bar{x}_1(-s)) \in P_1(\bar{x})$. First we have $\bar{p}(s) \cdot x'_1(s) \geq \bar{p}(s) \cdot \bar{x}_1(s)$. Otherwise

$$\bar{p}(s) \cdot (x'_1(s) - e_1(s)) < \bar{p}(s) \cdot (\bar{x}_1(s) - e_1(s)) \leq V_s^\varepsilon(\bar{p}) \cdot \bar{z}_1.$$

Consequently, $(x'_1, \bar{z}_1) \in B_{\mathcal{F}^\varepsilon}^1(\bar{p}, \bar{q}) \cap [P_1(\bar{x}) \times Z_1]$, which contradicts the fact that $(\bar{p}, \bar{q}, \bar{x}, \bar{z})$ is an equilibrium of $(\mathcal{E}, \mathcal{F}^\varepsilon)$. Second we have $\bar{p}(s) \cdot \bar{x}_1(s) \geq \bar{p}(s) \cdot e_1(s)$. Otherwise $\bar{p}(s) \cdot (\bar{x}_1(s) - e_1) < 0$. Hence for $t > 0$ small enough

$$\bar{p}(s) \cdot ((\bar{x}_1(s) + tv) - e_1) < 0 \leq V_s^\varepsilon(\bar{p}) \cdot \bar{z}_1.$$

Consequently, from the desirability assumption, we get $((\bar{x}_1(s) + tv, \bar{x}_1(-s)), \bar{z}_1) \in B_{\mathcal{F}^\varepsilon}^1(\bar{p}, \bar{q}) \cap [P_1(\bar{x}) \times Z_1]$, which contradicts the fact that $(\bar{p}, \bar{q}, \bar{x}, \bar{z})$ is an equilibrium in $(\mathcal{E}, \mathcal{F}^\varepsilon)$. This ends the proof that $\bar{p} \in P$.

Since $\bar{p} \in P$, and $\|\bar{p}(s)\| = 1$ for $s \in \mathcal{S}$, we deduce that $\bar{p}(s) \cdot v \geq \varepsilon \|\bar{p}(s)\| = \varepsilon$, by **Claim 9**. Consequently, $V^\varepsilon(\bar{p}) = V(\bar{p})$, for every $i \in \mathcal{I}$, $B_{\mathcal{F}^\varepsilon}^i(\bar{p}, \bar{q}) = B_{\mathcal{F}}^i(\bar{p}, \bar{q})$ and clearly $(\bar{p}, \bar{q}, \bar{x}, \bar{z})$ is an equilibrium for $(\mathcal{E}, \mathcal{F})$.

⁹ Indeed, since $P_1(x)$ is open, there exists $\lambda \in (0, 1]$ such that $\lambda(x_1(s) + tv, x_1(-s)) + (1 - \lambda)(y_1(s) + tv, x_1(-s)) = (\lambda x_1(s) + (1 - \lambda)y_1(s) + tv, x_1(-s)) \in P_1(x)$, then choose $x'_1(s) = \lambda x_1(s) + (1 - \lambda)y_1(s)$, then one has $p(s) \cdot x'_1(s) < p(s) \cdot x_1(s)$.

A.4. Proof of Lemma 4

Part (a). Let $p \in \mathbb{R}^L$. The set $Q(p)$ is obviously a cone, and we now show that it is convex by contradiction. Suppose that there exist $q_1, q_2 \in Q(p)$, $\alpha \in (0, 1)$ such that $\alpha q_1 + (1 - \alpha)q_2 \notin Q(p)$. Then there exists $i \in \mathcal{I}$ and there exists $\zeta \in \mathbf{AZ}_i$ such that $W(p, \alpha q_1 + (1 - \alpha)q_2)\zeta > 0$. Hence

$$\text{either } \begin{cases} -(\alpha q_1 + (1 - \alpha)q_2) \cdot \zeta > 0 \\ V(p)\zeta \geq 0 \end{cases} \quad \text{or} \quad \begin{cases} -(\alpha q_1 + (1 - \alpha)q_2) \cdot \zeta \geq 0 \\ V(p)\zeta > 0 \end{cases}$$

In the first case, we conclude that either $-q_1 \cdot \zeta > 0$ or $-q_2 \cdot \zeta > 0$ which, together with $V(p)\zeta \geq 0$, implies that $W(p, q_1)\zeta > 0$ or $W(p, q_2)\zeta > 0$, contradicting the fact that q_1 and q_2 are both in $Q(p)$. Similarly, in the second case, we conclude that either $-q_1 \cdot \zeta \geq 0$ or $-q_2 \cdot \zeta \geq 0$ which, together with $V(p)\zeta > 0$, contradicts the fact that q_1 and q_2 are both in $Q(p)$.

Part (b). Step 1. For every p , the set $\mathbf{A}_{\mathcal{F}}(p) := \sum_{i \in \mathcal{I}} (\mathbf{AZ}_i \cap \{V(p) \geq 0\})$ is closed. The set $\mathbf{A}_{\mathcal{F}}(p)$ is simply denoted \mathbf{A} hereafter. From *Debreu (1959)*, it suffices to show that the convex cones $\mathbf{AZ}_i \cap \{V(p) \geq 0\}$ are positively semi-independent.¹⁰ Indeed, let $\zeta_i \in \mathbf{AZ}_i \cap \{V(p) \geq 0\}$ for each i such that $\sum_{i \in \mathcal{I}} \zeta_i = 0$. Then $\zeta_1 = -\sum_{i \neq 1} \zeta_i \in \mathbf{A} \cap -\mathbf{A} = \{0\}$ by Assumption **F3**. Hence $\zeta_1 = 0$ and similarly, $\zeta_i = 0$ for every i .

Step 2. $-\text{int}(\mathbf{A}^0) \subset Q(p)$. Suppose there exists $q \in -\text{int}(\mathbf{A}^0)$ and $q \notin Q(p)$. Then there exist $i \in \mathcal{I}$ and $\zeta \in \mathbf{AZ}_i$ such that $W(p, q)\zeta > 0$. Thus $\zeta \in \mathbf{AZ}_i \cap \{V(p) \geq 0\} \setminus \{0\} \subset \mathbf{A} - \{0\}$. Recalling that \mathbf{A} is a pointed closed convex cone (by assumption **F3** and Step 1), from *Rockafellar (1970)*, we have $\emptyset \neq \text{int}(\mathbf{A}^0) = \{q \in \mathbb{R}^L, q \cdot c < 0, \forall c \in \mathbf{A} - \{0\}\}$. Consequently, $-q \cdot \zeta < 0$ since $-q \in \text{int}(\mathbf{A}^0)$ and $\zeta \in \mathbf{A} - \{0\}$, a contradiction with $-q \cdot \zeta \geq 0$ (since $W(p, q)\zeta > 0$).

Step 3. $-Q(p)^0 = \mathbf{A}$. First we prove that $-Q(p)^0 \subset \mathbf{A}$. Since $\text{int}(\mathbf{A}^0) \neq \emptyset$, we have $\mathbf{A}^0 = \text{cl int}(\mathbf{A}^0)$ (see *Rockafellar (1970)*). From Step 2, one gets $-Q(p)^0 \subset [\text{int}(\mathbf{A}^0)]^0 = [\text{cl int}(\mathbf{A}^0)]^0 = (\mathbf{A}^0)^0 = \mathbf{A}$ from the Bipolar Theorem (see *Rockafellar, 1970*) since \mathbf{A} is a closed convex cone (by Step 1). Second, we show that $\mathbf{A} \subset -Q(p)^0$. Let $\zeta \in \mathbf{A}$, then $\zeta = \sum_{i \in \mathcal{I}} \zeta_i$ for some $\zeta_i \in \mathbf{AZ}_i \cap \{V(p) \geq 0\}$. Consequently, $-q \cdot \zeta_i \leq 0$ for every $q \in Q(p)$ by definition of arbitrage-free prices. Hence $\zeta = \sum_{i \in \mathcal{I}} \zeta_i \in -Q(p)^0$.

Step 4. The set $-\mathbf{A} + (Z_{\mathcal{F}})^\perp$ is closed. Indeed, it suffices to show that the closed convex cones $-\mathbf{A}$ (which is closed by Step 1) and $(Z_{\mathcal{F}})^\perp$ (a vector space, hence closed) are positively semi-independent. This is clearly the case since $-\mathbf{A} \subset Z_{\mathcal{F}}$.

Step 5. We are ready to conclude. First we note that for two closed convex cones M and N of \mathbb{R}^L , one has $(M \cap N)^0 = \text{cl}(M^0 + N^0)$, hence from the above steps one gets

$$(\text{cl}Q(p) \cap Z_{\mathcal{F}})^0 = \text{cl}((\text{cl}Q(p))^0 + Z_{\mathcal{F}}^0) = \text{cl}(Q(p)^0 + (Z_{\mathcal{F}})^\perp) = \text{cl}(-\mathbf{A} + (Z_{\mathcal{F}})^\perp) = -\mathbf{A} + (Z_{\mathcal{F}})^\perp.$$

Part (c). Assume K_v is not bounded. Then there exist sequences $(p^n)_n \subset B_L(0, 1)$, $(z_i^n)_n \subset Z_i$ ($i \in \mathcal{I}$) such that for all n and all i , $V(p^n)z_i^n \geq v_i$, $-\sum_{i \in \mathcal{I}} z_i^n \in \mathbf{A}_{\mathcal{F}}$, and $\sum_{i \in \mathcal{I}} \|z_i^n\| \rightarrow +\infty$. Passing to a subsequence if necessary, we can assume that $(p^n)_n$ converges to some $p \in B_L(0, 1)$ and that, for each i , the bounded sequence $(z_i^n / \sum_{k \in \mathcal{I}} \|z_k^n\|)_n$ converges to some ζ_i . The vector ζ_i belongs to \mathbf{AZ}_i since $z_i^n \in Z_i$ for every n and $1 / \sum_{k \in \mathcal{I}} \|z_k^n\| \rightarrow 0$. Moreover, for every n , we have $V(p^n) (z_i^n / \sum_{k \in \mathcal{I}} \|z_k^n\|) \geq v_i / \sum_{k \in \mathcal{I}} \|z_k^n\|$. Passing to the limit, we obtain $V(p)\zeta_i \geq 0$ (since V is continuous). Recalling that, for every n , $-\sum_{i \in \mathcal{I}} z_i^n \in \mathbf{A}_{\mathcal{F}}$, we get $-\sum_{i \in \mathcal{I}} (z_i^n / \sum_{k \in \mathcal{I}} \|z_k^n\|) \rightarrow -\sum_{i \in \mathcal{I}} \zeta_i \in \mathbf{A}_{\mathcal{F}}$ since $\mathbf{A}_{\mathcal{F}}$ is closed by Part (b). Recalling that for each i , $\zeta_i \in \mathbf{AZ}_i \cap \{V(p) \geq 0\} \subset \mathbf{A}_{\mathcal{F}}$ we conclude that $\sum_{i \in \mathcal{I}} \zeta_i \in \mathbf{A}_{\mathcal{F}} \cap -\mathbf{A}_{\mathcal{F}} = \{0\}$ (by Assumption **F3**). Hence $\zeta_i \in \mathbf{A}_{\mathcal{F}}$ for each i and $\sum_{i \in \mathcal{I}} \zeta_i = 0$, which implies that $\zeta_1 = -\sum_{i \neq 1} \zeta_i \in \mathbf{A}_{\mathcal{F}} \cap -\mathbf{A}_{\mathcal{F}} = \{0\}$, and similarly $\zeta_i = 0$ for every i . But $z_i^n / \sum_{k \in \mathcal{I}} \|z_k^n\| \rightarrow \zeta_i$, hence $1 = \sum_{i \in \mathcal{I}} (\|z_i^n\| / \sum_{k \in \mathcal{I}} \|z_k^n\|) \rightarrow \sum_{i \in \mathcal{I}} \|\zeta_i\| = 0$, a contradiction.

A.5. Proof of Lemma 5

First, we claim that, for all $i \in \mathcal{I}$, the correspondence $B_i^{r\epsilon}$ from Π to $X_i^r \times Z_i^r$ is lower semicontinuous, has a closed graph, and has closed convex values. Indeed, from *Claim 1*, $B_i^{r\epsilon}$ is the closure of $\tilde{B}_i^{r\epsilon}$ on Π . We then notice that $\tilde{B}_i^{r\epsilon}$ has an open graph, hence is lower semicontinuous. Consequently, $B_i^{r\epsilon}$, which is the closure of a lower semicontinuous correspondence, is lower semicontinuous. The fact that $B_i^{r\epsilon}$ has a closed graph and closed convex values is immediate.

The correspondence Φ_0 has clearly an open graph thus it is lower semicontinuous and one easily checks that it has convex values. Let $i \neq 0$, $(\bar{p}, \bar{q}, \bar{x}, \bar{z}) \in \Pi \times \prod_{k \in \mathcal{I}} X_k^r \times Z_k^r$, and let V be an open set in $X_i^r \times Z_i^r$ such that $\Phi_i(\bar{p}, \bar{q}, \bar{x}, \bar{z}) \cap V \neq \emptyset$. We distinguish two cases:

- (1) $(\bar{x}_i, \bar{z}_i) \notin B_i^{r\epsilon}(\bar{p}, \bar{q})$. Then $(\bar{p}, \bar{q}, \bar{x}_i, \bar{z}_i) \notin G(B_i^{r\epsilon})$ and since $B_i^{r\epsilon}$ has a closed graph there exists an open neighborhood W of $(\bar{p}, \bar{q}, \bar{x}_i, \bar{z}_i)$ in $\Pi \times (X_i^r \times Z_i^r)$ such that $W \cap G(B_i^{r\epsilon}) = \emptyset$. On the other hand, V is open in $X_i^r \times Z_i^r$ and satisfies $B_i^{r\epsilon}(\bar{p}, \bar{q}) \cap V \neq \emptyset$ (because $\Phi_i(\bar{p}, \bar{q}, \bar{x}, \bar{z}) \cap V \neq \emptyset$ and $\Phi_i(\bar{p}, \bar{q}, \bar{x}, \bar{z}) \subset B_i^{r\epsilon}(\bar{p}, \bar{q})$). Since $B_i^{r\epsilon}$ is lower semicontinuous we con-

¹⁰ A finite collection $\{C_i, i \in \mathcal{I}\}$ of nonempty convex cones in \mathbb{R}^n is positively semi-independent if $c_i \in C_i$, for all $i \in \mathcal{I}$ and $\sum_{i \in \mathcal{I}} c_i = 0$, imply that for all $i \in \mathcal{I}$, $c_i = 0$.

clude that there exists an open neighborhood O of (\bar{p}, \bar{q}) in Π such that for every $(p, q) \in O$, $B_i^{r\epsilon}(p, q) \cap V \neq \emptyset$. Then $U := [W \times (\prod_{k \neq i} X_k^r \times Z_k^r)] \cap [O \times (\prod_k X_k^r \times Z_k^r)]$ is an open neighborhood of $(\bar{p}, \bar{q}, \bar{x}, \bar{z})$ and for every $(p, q, x, z) \in U$ one has $(p, q, x_i, z_i) \in W \cap [O \times (X_i^r \times Z_i^r)]$, hence $\Phi_i(p, q, x, z) \cap V = B_i^{r\epsilon}(p, q) \cap V \neq \emptyset$.

- (2) $(\bar{x}_i, \bar{z}_i) \in B_i^{r\epsilon}(\bar{p}, \bar{q})$. Note that $\bar{B}_i^{r\epsilon} \cap (P_i^r \times Z_i^r)$ is lower semicontinuous since $\bar{B}_i^{r\epsilon}$ has an open graph and $P_i^r \times Z_i^r$ is lower semicontinuous. Since $\bar{B}_i^{r\epsilon}(\bar{p}, \bar{q}) \cap (P_i^r(\bar{x}) \times Z_i^r) \cap V = \Phi_i(\bar{p}, \bar{q}, \bar{x}, \bar{z}) \cap V \neq \emptyset$, we conclude that there exists an open neighborhood T of $(\bar{p}, \bar{q}, \bar{x}, \bar{z})$ in $\Pi \times \prod_{k \neq i} X_k^r \times Z_k^r$ such that for every $(p, q, x, z) \in T$ one has $\bar{B}_i^{r\epsilon}(p, q) \cap (P_i^r(x) \times Z_i^r) \cap V \neq \emptyset$. Consequently, $B_i^{r\epsilon}(p, q) \cap V \neq \emptyset$ (because $\bar{B}_i^{r\epsilon}(p, q) \subset B_i^{r\epsilon}(p, q)$) and $\Phi_i(p, q, x, z) \cap V \neq \emptyset$ for every $(p, q, x, z) \in T$. This ends the proof of the lower semicontinuity of Φ_i .

The convexity of the values of Φ_i is a consequence of the convexity of $\bar{B}_i^{r\epsilon}(p, q)$, $B_i^{r\epsilon}(p, q)$, Z_i^r and the convexity of the values of P_i^r , by assumptions **C** and **F1**.

References

- Angeloni, L., Cornet, B., 2006. Existence of financial equilibria in a multi-period stochastic economy. *Mathematical Economics* 8, 1–31.
- Aouani, Z., Cornet, B., 2008a. Characterizing reduced financial structures. Working Paper.
- Aouani, Z., Cornet, B., 2008b. Reduced equivalent form of a financial structure. Working Paper.
- Balasko, Y., Cass, D., Siconolfi, P., 1990. The structure of financial equilibrium with exogenous yields: the case of restricted participation. *Journal of Mathematical Economics* 19, 195–216.
- Bergstrom, T.C., 1976. How to discard “free disposability”—at no cost. *Journal of Mathematical Economics* 3, 131–134.
- Bich, P., Cornet, B., 2004. Fixed-point-like theorems on subspaces. *Fixed Point Theory and Applications* 3, 159–171.
- Bich, P., Cornet, B., forthcoming. Existence of pseudo-equilibria in a financial economy. *Journal of Fixed Point Theory and Applications*.
- Cass, D., 1984. Competitive equilibrium with incomplete financial markets. CARESS Working Paper.
- Cass, D., 2006. Competitive equilibrium with incomplete financial markets. *Journal of Mathematical Economics* 42, 384–405.
- Cornet, B., Gopalan, R., forthcoming. Arbitrage and equilibrium with portfolio constraints. *Economic Theory*.
- Debreu, G., 1959. *Theory of Value*. Yale University Press.
- Duffie, D., 1987. Stochastic equilibria with incomplete financial markets. *Journal of Economic Theory* 41, 404–416.
- Duffie, D., Shafer, W., 1985. Equilibrium in incomplete markets. I. A basic model of generic existence. *Journal of Mathematical Economics* 14, 285–300.
- Duffie, D., Shafer, W., 1986. Equilibrium in incomplete markets. II. Generic existence in stochastic economies. *Journal of Mathematical Economics* 15, 199–216.
- Elsinger, H., Summer, M., 2001. Arbitrage and Optimal Portfolio Choice with Financial Constraints. Working Paper. Austrian Central Bank.
- Gale, D., Mas-Colell, A., 1975. An equilibrium existence theorem for a general model without ordered preferences. *Journal of Mathematical Economics* 2, 9–15.
- Gale, D., Mas-Colell, A., 1979. Corrections to an equilibrium existence theorem for a general model without ordered preferences. *Journal of Mathematical Economics* 6, 297–298.
- Geanakoplos, J., Polemarchakis, H., 1986. Existence, regularity and constrained suboptimality of competitive allocations when the asset market is incomplete. In: Heller, et al. (Eds.), *Uncertainty, Information and Communication: Essays in Honor of Kenneth J. Arrow*. vol. III. Cambridge University Press, pp. 65–95.
- Geanakoplos, J.D., Shafer, W., 1990. Solving systems of simultaneous equations in economics. *Journal of Mathematical Economics* 19, 69–93.
- Hahn, G., Won, D.C., 2007. Constrained asset markets. Available at SSRN: <http://ssrn.com/abstract=1021631>.
- Hart, O., 1975. On the optimality of equilibrium when the market structure is incomplete. *Journal of Economic Theory* 11, 418–443.
- Hirsch, M., Magill, M., Mas-Colell, A., 1990. A geometric approach to a class of equilibrium existence theorems. *Journal of Mathematical Economics* 19, 95–106.
- Husseini, S.Y., Lasry, J., Magill, M., 1990. Existence of equilibrium with incomplete markets. *Journal of Mathematical Economics* 19, 39–67.
- Martins-da-Rocha, F., Triki, L., 2005. Equilibria in exchange economies with financial constraints: beyond the Cass-trick. Working Paper. University of Paris 1.
- Polemarchakis, H.M., Siconolfi, P., 1997. Generic existence of competitive equilibria with restricted participation. *Journal of Mathematical Economics* 28, 289–311.
- Radner, R., 1972. Existence of equilibrium of plans, prices, and price expectations. *Econometrica* 40, 289–303.
- Rockafellar, R.T., 1970. *Convex Analysis*. Princeton University Press.
- Siconolfi, P., 1989. Equilibrium with asymmetric constraints on portfolio holdings and incomplete financial markets. In: Galeotti, M., Geronazzo, L., Gori, F. (Eds.), *Non-Linear Dynamics in Economics and Social Sciences*. Societa' Pitagora, pp. 271–292.
- Werner, J., 1985. Equilibrium in economies with incomplete financial markets. *Journal of Economic Theory* 36, 110–119.